Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRINCETON PRODUCTS



PRINCETON NURSERIES

Wholesale Price List FALL 1950 — SPRING 1951

William Flemer's Sons, Inc.

Princeton, N. J.

Telephone 1776



FOREWORD

It is decidedly to your advantage to purchase material where it can be obtained reasonably and in good assortment.

Our listing of ornmental stock is very complete. Our delivery service covers a large area and charges are reasonable.

Your expenses can be greatly reduced and your profits made larger by buying at Princeton.

EARLY PURCHASE ASSURES BETTER ASSORTMENT

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.

WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITORS.

PRINCETON NURSERIES

Princeton, New Jersey.

WM. FLEMER, JR. President

PRINCETON PRODUCTS ARE QUALITY PRODUCTS

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

	,		
Diam.		Estimated	
of ball	Size	Weight	Each
10"	18/24"	30 lbs	.60
12"	2/3'	45 lbs	.95
13"	3/4'	60 lbs	1.50
15"	4/5'	75 lbs	2.00
16"	5/6'	100 lbs.	2.50
18"	6/8'	150 lbs.	3.50
21"	8/10'	225 lbs	5.00

Due to uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee to dig these sizes.

24"	2" cal.	300 lbs	6.75
28"	2½ cal.	750 lbs	9.25
28" 32"	3" cal.	750 lbs	12.50
36"	3½ cal.	1150 lbs	18.75
40"	4" cal.	1600 lbs.	25.00
44"	4½ cal.	2100 lbs,	31.25
48"	5" cal.	2750 lbs	
54"		4000 lbs	
60"		5500 lbs.	75.00

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

Platform	Usual	
size	Ball Size	Charge
24" Sq.	30" to 36"	\$2.00
28" Sq.	32" to 40"	2.25
30" Sq.	36" to 44"	2.50
32" Sq.	40" to 48"	3.00
36" Sq.	48" to 54"	3.75
40" Sq.	54" to 60"	5.00

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	32x36"	Ī
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	2.60	
6'	2.10	2.40	2.85	3.60	3.90	4.50	5.40	
8'	2.80	3.20	3.80	4.80	5.10	6.00	7.20	
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.00	
12'	4.20	4.80	5.70	7.20	7.80	9.00	10.80	
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60	

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

We cannot guarantee to make deliveries, but will be glad to estimate the delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

	Unit Pri	ce in Qua	ntities
	1-9	10-49	50-249
ABELIA Edouard Gouchet		Ne	w Abelia
Evergreen. Small, medium lilac-pink flo	wer.		
9 to 12 in., pots or B&B	.85	.70	.55
12 to 15 in., pots or B&B	1.10	.95	.75
15 to 18 in., pots or B&B	1.50	1.25	1.00
— grandiflora, 3'-4'		Gloss	y Abelia
Evergreen. Lilac-white tinted flowers. B	looms all	summer.	
12 to 15 in., pots or B&B	.75	.60	.50
15 to 18 in., pots or B&B	1.25	1.05	.85
18 to 24 in., pots or B&B	1.65	1.35	1.10
ACANTHOPANAX pentaphylum (sieboldianu	is) 7'-8'	Fivelea	af Aralia
Glossy, rich green foliage. Succeeds in a posures, and dry locations. Shears well			
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
ACER — — MAPLE	S		
ACER buergerianum, 40' Similar to Ginnala; more rapid growth.		Trider	nt Maple

2 to 3 ft.....

3 to 4 ft.....

1.10

1.50

.95

1.25

.75

	Unit Pi	rice in Quai 10-49	ntities 50-249
ACER campestre, 25'			ge Maple
Corky bark. Good in dry locations in un	dergrowt		
6 to 8 ft. 8 to 10 ft.		$\begin{matrix}3.35\\4.05\end{matrix}$	$\begin{array}{c} 2.65 \\ 3.25 \end{array}$
— dasycarpum, 60'-80'		Silve	er Maple
Quick growing, graceful. Leaves silvery	underne	eath.	
6 to 8 ft	1.10	.95	.75
8 to 10 ft., 1 to 1 1/4 in	1.50	1.25	1.00
— ginnala, 10'-12'		Amı	ır Maple
Compact growing. Excellent fall coloring	g. Very l		
3 to 4 ft	.75	.60	.50
4 to 5 ft		.75	.60
6 to 8 ft		1.90	1.50
8 to 10 ft		2.50	2.00
10 to 12 ft		3.00	2.50
12 to 14 ft		5.85	4.75
negundo, 60'			Boxeldei
Succeeds under adverse conditions. God	nd in seas		
10 to 12 ft., 1 ½ to 1 ¾ in		2.20	.0115.
10 to 12 ft., 1 ½ to 1 ¼ in		$\frac{2.20}{2.80}$	
10 to 12 tt., 1 /4 to 2 iii	0.10	2.00	
TADAMECH MADE	TIC		
JAPANESE MAPI			
JAPANESE MAPI — palmatum atropurpureum, 6'-8'		anese Red	Maple
	Japa		_
— palmatum atropurpureum, 6'-8'	Japa		_
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun.	Japa red leaves	all summe	er.
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60	all summe 2.20	er. 1.75
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40	2.20 2.80	1.75 2.25
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40	all summe 2.20	er. 1.75
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50	2.20 2.80 3.75	1.75 2.25 3.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-rich Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00 arker leave	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40	1.75 2.25 3.00 4.00 s. 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-rich Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	1.75 2.25 3.00 4.00 s. 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with day 3.00 3.75 5.25 green fol	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	1.75 2.25 3.00 4.00 ss. 2.50 3.50 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	1.75 2.25 3.00 4.00 s. 2.50 3.50 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwaiage. 2.50 3.00	1.75 2.25 3.00 4.00 s. 2.00 2.50 ay Maple 2.00 2.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwatiage. 2.50 3.00 4.40	1.75 2.25 3.00 4.00 s. 2.50 3.50 ay Maple 2.00 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00	1.75 2.25 3.00 4.00 s. 2.50 3.50 ay Maple 2.00 2.50 3.50 5.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B —— nigrum, 6'-8' A select strain of purple Japanese Map 12 to 15 in., B&B or pots 15 to 18 in., B&B or pots 15 to 18 in., B&B or pots 18 to 24 in., B&B — platanoides, 50'-75' Most popular for street planting. Dark 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.75 5.25 7.50 9.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50	1.75 2.25 3.00 4.00 s. 2.50 3.50 4.00 2.50 3.50 6.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.75 5.25 7.50 9.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00	1.75 2.25 3.00 4.00 s. 2.50 3.50 4.00 2.50 3.50 6.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B —— nigrum, 6'-8' A select strain of purple Japanese Map 12 to 15 in., B&B or pots 15 to 18 in., B&B or pots 15 to 18 in., B&B or pots 18 to 24 in., B&B — platanoides, 50'-75' Most popular for street planting. Dark 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50	1.75 2.25 3.00 4.00 s. 2.50 3.50 4.00 2.50 3.50 6.00 8.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B — migrum, 6'-8' A select strain of purple Japanese Map 12 to 15 in., B&B or pots 15 to 18 in., B&B or pots 15 to 18 in., B&B or pots 18 to 24 in., B&B — platanoides, 50'-75' Most popular for street planting. Dark 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00 30.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50 10.00	1.75 2.25 3.00 4.00 4.00 5s. 2.00 2.50 3.50 6.00 8.00 22.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00	1.75 2.25 3.00 4.00 4.00 5.00 2.50 3.50 5.00 6.00 8.00 22.00 26.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 anar Norwa	1.75 2.25 3.00 4.00 s. 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 anar Norwa	1.75 2.25 3.00 4.00 s. 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-1 Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green fol 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum Very use 12.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa iage. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 anar Norwa	1.75 2.25 3.00 4.00 s. 2.00 2.50 3.50 4.00 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple



NORWAY MAPLE—When it comes to shade trees, most people say "Princeton."

	Unit Price in Quantities		
	1-9	10-49	50-249
ACER platanoides schwedleri, 40'-60'		Schwedl	er Maple
Purple leaved Norway Maple.			
6 to 8 ft. 8 to 10 ft.	$\begin{array}{c} 3.75 \\ 5.25 \end{array}$	4.40	$\frac{2.50}{3.50}$
8 to 10 ft., 1 1/4 to 1 1/2 in	7.50		5.00
9 to 12 ft., 1½ to 1¾ in	9.00	7.50	6.00
— rubrum, 50'-75'	Red	d or Scarle	et Maple
Brilliant fall coloring. Excellent in dam	p locatio	ns.	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in.	3.40	2.80	2.25
9 to 11 ft., 1 1/4 to 1 1/2 in	4.50	3.75	
10 to 12 ft., 1½ to 1¾ in	6.00	5.00	4.00
11 to 13 ft. 1 3/4 to 2 in	7.50	6.00	
12 to 14 ft., 2 to 2½ in	10.00		6.50
— saccharum, 50'-75'		Suga	ar Maple
A stately, long lived tree. Rich autumn in most locations.	coloring	. Very sat	isfactory
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft., 1 to 1 1/4 in	3.75	3.00	2.50
9 to 11 ft., 1 1/4 to 1 1/2 in	5.25	4.40	3.50
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 3/4 to 2 in		7.50	6.00
12 to 14 ft., 2 to 2½ in	12.00	10.00	8.00

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
ACTINIDIA arguta, 20'-30'		Border A	ctinidia
Greenish white flowers in July, Rich dar Yellow berries.	k green f		
12 to 18 in	.45	.37	
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
AESCULUS glabra, 25'		Ohio I	Buckeye
Makes a small tree of handsome appearin May. Foliage turns yellow in fall.	arance wi	th yellow	flowers
2 to 3 ft	.90	.75	
3 to 4 ft	1.20	1.00	
5 to 6 ft	2.25	$\frac{1.90}{2.40}$	
6 to 8 ft	2.90	2.40	
— hippocastanum, 60'-80'			hestnut
A beautiful symmetrical shade tree co of white flowers against the dark green		th showy	panicles
4 to 5 ft	1.90		
6 to 8 ft.	$\frac{3.00}{0.00}$		
10 to 12 ft	6.00		
AKEBIA quinata, 15'-20'		Fiveleaf	Akebia
An excellent vine. Deep green. Purple flountil winter.	owers in N	May. Holds	foliage
2 year	.55	.45	.35
ALTHEA (See HIBISCUS)			
Juneberry. Early white flowers, edible s 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	.75	fruit. .60 .70 .75	$\begin{array}{c} .50 \\ .55 \\ .60 \end{array}$
AMORPHA fruticosa, 3'-4'		To de	h h
•	la a la de	mu	igobush
Deep purple flowers in June. Spreading		F 0	* ^
2 to 3 ft	.60	.50	.40
3 to 4 ft	$\begin{array}{c} .75 \\ .90 \end{array}$	$\begin{array}{c} .60 \\ .75 \end{array}$	$\begin{array}{c} .50 \\ .60 \end{array}$
4 10 0 11	. 9 0	. (0	.00
AMPELOPSIS quinquefolia, 30'-50' (Parthenocissus q.)		Virginia	Creeper
Very adaptable. Rapid growing vine. Br	illiant au	tumn colo	ring.
1 year			.12
2 year		.22	.18
— — engelmanni, 30'-40'	E	ngelmann	Creeper
Excellent self-clinging vine. Richly color			
		.15	1.0
1 year 2 year	.18 $.27$.13 $.22$.12
tricuspidata veitchi, 40'-50'		Ros	ston Ivy
Dense, self-clinging vine. Blue-black be	rries	DUS	JOH IVY
12 to 18 in., 1 year	.37	.30	.25
18 to 24 in., 2 year	.55	.30 $.45$.35
3 in. pots	.55	.45	.35
4 in. pots	.70	.55	.45

8 PRINCETON N	URSERIES
	Unit Price in Quantities
	1-9 10-49 50-24
AMPELOPSIS tricuspidata lowi, 6'-8'	Geranium Creepe
Dwarf type of veitchi, with sm graceful and distinct.	aller, deeply-cut foliage. Ver
3 in. pot	
AMYGDALIS nana (See PRUNUS GLA	
·	
AMYGDALIS persica, 8' to 10'	Double Flowering Peac
Colors: White, Pink and Red. double flowers, in colors as above.	
2 to 3 ft	
4 to 5 ft.	
ANDROMEDA (See PIERIS)	
ARALIA pentaphyllum (See ACANTH	OPANAX)
ARALIA spinosa, 18'-20'	Hercules-clu
A tropical appearing tree. White f	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
6 to 8 ft	2.10 1.75 1.4
ARBORVITAE (See THUYA)	
ARONIA arbutifolia, 6'-8'	Red Chokeberr
Bright red berries in fall.	
18 to 24 in	55 .45 .3
2 to 3 ft	
3 to 4 ft	85 .70 .5
— brilliantissima, 6'-8' Similar to arbutifolia but more br	Brilliant Red Chokeberr
18 to 24 in	
2 to 3 ft	70 .55 .4
— melanocarpa (nigra), 8'-10'	Black Chokeberr
White flowers in May, Black berri	
12 to 18 in	
2 to 3 ft	
AZALEAS (RHOD	
AZALEA amoena (Rhodo, obtusum an Evergreen, Conspicuous, purple-re	
a rich, bronze-green in winter.	
6 to 8 in. B&B	90 .75 .60
8 to 10 in., B&B	1.20 1.00 .8
10 to 12 in., B&B	
12 to 15 in., B&B	
15 to 18 in., B&B	
18 to 24 in., B&B	



AZALEA HINODEGIRI—Spaced 18" apart. No need to describe these. You can see how good they are.

	1-9	10-49	50 249
AZALEA arborescens, 10'-12'		Swee	t Azalea
Fragrant, white flowers in June.			
12 to 15 in., B&B	1.75	1.50	
15 to 18 in., B&B	2.40	2.00	des at the comment of the comment
18 to 24 in., B&B	$\boldsymbol{3.25}$	2.75	
2 to 2½ ft., B&B	3.75		
— hinodegiri, 3'-4'		Hinodegir	i Azalea
Evergreen. Larger leaves and looser grovery bright carmine-pink; effective in dron.			
6 to 8 in., B&B	1.00	.80	.65
8 to 10 in., B&B	1.30	1.10	.90
10 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.40	2.80	2.25
— kaempferi, 4'-5'		Torcl	n Azaela
Warm brick-red flowers, May. Hardy an	d very d	lesirable.	
15 to 18 in	3.40	2.80	2.25
18 to 24 in.	4.50	3.75	3.00
2 to 2 ½ ft	6.00	5.00	4.00

18 to 24 in., B&B.....

2 to 2 ½ ft., B&B.....

2 ½ to 3 ft., B&B.....

10 PRINCETON NURSE	ERIES		
		ce in Quan 10-49	tities 50-249
AZALEA KAEMPFERI I	HYBRIDS		
Carmen — Rose-pink flowers. 9-12"; 12-15	"; 15-18";	18-24"	
Cleopatra — Lilac-rose flowers. 9-12"; 12-1			
Louise — Light-rose flowers. 9-12"; 12-15"			2 ½ ′
Othello — Brick-red flowers. 9-12"; 12-15";			
9 to 12 in., B&B		$\begin{array}{c} 1.25 \\ 2.20 \end{array}$	$1.00 \\ 1.75$
12 to 15 in., B&B	$egin{array}{c} 2.60 \ 3.50 \end{array}$	$\frac{2.20}{2.80}$	$\frac{1.75}{2.25}$
18 to 24 in., B&B		$\frac{2.75}{3.75}$	3.00
2 to 2½ ft., B&B	6.00	5.00	4.00
KURUME AZALEAS — EV	ERGREE	×.	
Christmas Cheer — Crimson.6-9"; 9-12"; 1	2-15".		
Flame — Brilliant red flowers. 9-12"; 12-15			
Hatsugiri — Bright purple flowers, compa 18-24"			
Hazel Dawson — Purplish-pink, sgl. fls. V	Very hardy	y. 9-12";	12-15";
Pink Beauty — Single soft-pink flowers. 9-	12"; 12-15	"; 18-24";	2-2 ½ ′
Pink Pearl — Salmon-rose flowers, heavy b	loomer; 9-	12"; 12-15	<i>"</i>
Snow — Large pure white flowers. 9-12"; 1			
Yayegiri — Salmon red flowers. 9-12"; 12-1	5"; 15-18"		
Kurume varieties at following prices.			
6 to 9 in., B&B	1.10	.95	.75
9 to 12 in., B&B		1.25	1.00
12 to 15 in., B&B		$\frac{2.05}{2.00}$	1.65
15 to 18 in., B&B		$\begin{array}{c} 2.80 \\ 4.00 \end{array}$	$\frac{2.25}{3.25}$
2 to 2½ ft., B&B		5.30	4.25
AZALEA ledifolia alba (Indica), 4'-6'			Azalea
Evergreen. Large single, white flower	s, freely p		
striking background for Azalea hinod			
time. 12 to 15 in	2.50	2.05	1.65
15 to 18 in		$\frac{2.03}{2.80}$	2.25
18 to 24 in		4.00	3.25
— — lilacina, 4'-6'			
Single lilac flowers.			
18 to 24 in	6.00	5.00	
2 to 2 ½ ft		6.00	
— macrantha, 2½'-3'	R	ed Salmon	Azalea
Single salmon-pink flower. Blooms a mo			
Quite attractive with glossy foliage.		111000	. I L W I C W D .
12 to 15 in., B&B			
15 to 18 in., B&B	2.60		
— nudiflorum, 6'-8'		Pinxte	erbloom
A native pink Azalea or Honeysuckle if June. Very attractive and hardy.	in this area	a. Blooms	early in

3.00

4.10

5.25

2.50

3.50



AZELEA LEDIFOLIA ALBA—We are fortunate to have such a fine lot of this scarce item.

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
AZALEA viscosa, 4'-5'		Swamj	p Azalea
White flowers sometimes tinged with			
Very fragrant with glossy green foliage tions.	e. Desirab	ole for mo	ist loca-
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	4.50	3.75	
2 ½ to 3 ft., B&B	5.60	4.75	
— yodogawa (yedoense) 3'-4'		Yodogawa	a Azalea
Double, pinkish-lavender flowers, May. tional merit.	Very ha	rdy and o	f excep-
9 to 12 in., B&B	1.75	1.45	1.20
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.40	2.80	$\boldsymbol{2.25}$
BACCHARIS halimifolia, 9'-10'		Ground	iselbush
Attractive fluffy seed pods in fall. Excel	lent for se	eashore pl	anting.
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30

BAYBERRY — (See MYRICA)



	1-9	10-49	50-249
BEAUTYBUSH (See KOLKWITZIA)			
BEECH (See FAGUS)			
BENZOIN aestivale (LINDERA benzoin), 10	'-12 '	S	picebush
Yellow flowers in spring followed by bri Spicy aromatic foliage.	ight red b	erries.	
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
BERBERIS — HARDY EVERGREEN TYPE			
— julianae, 4'-6'	Win	tergreen 1	Barberry
Medium growth. Broad spined leaves.			
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 3 ½ ft., B&B	4.50	3.75	3.00
— triacanthophora, 4'-6' Fast growth, Medium spined leaves.	Thr	ee Spine I	Barberry
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.50	3.75	3.00

Dwarf spreading, compact habit. Shiny foliage. Fragrant yellow

6 to 9 in., B&B 1.00

- verruculosa, 3'

flowers. Black fruits.

Warty Barberry

	1-9	Unit Price in 10-49	Quantiti 50-249	
BERBERIS — DECIDUOUS TYP	ES			
BERBERIS thunbergi, 4'-5'		J	apanese 1	Barberry
Rugged, low hedge plant. Rebecause of spiny growth. Rich				t barrier
9 to 12 in., 2 yr. trsp	.18	.15	.12	.09
12 to 15 in., 2 yr. trsp	.22	.20	.15	.13
15 to 18 in., 2 yr. trsp	.30	.25	.20	$.17 \frac{1}{2}$
18 to 24 in., 2 yr. trsp	.37	.30	.25	.20
2 to 2½ ft., 3 yr. trsp	.55	.45	$\frac{35}{45}$.30
$2 \frac{1}{2}$ to 3 ft., 3 yr. trsp	.70	.55	.45	.40
— — atropurpurea, 4'-5']	Red Jap. 1	Barberry
Reddish-purple type of Thur	ibergi.			
12 to 15 in	.35	$.27\frac{1}{2}$	$.22\frac{1}{2}$.20
15 to 18 in	.42	.35	$.27 \frac{1}{2}$.25
18 to 24 in	.55	.45	.35	$.32 \frac{1}{2}$
2 to 2 ½ ft	.70	.55	.45	.40 :
2 ½ to 3 ft	.85	.70	.55	.50
		1-9	10-49	50-249
*BETULA alba (pendula) 30'-50	,	Euro	pean Wh	ite Birch
Very attractive tree with wh			•	
4 to 5 ft			.75	.60
5 to 6 ft			1.00	.80
6 to 8 ft			1.25	
8 to 10 ft			1.90	
10 to 12 ft		3.00	2.50	
— — laciniata (pen. laciniata), 3 Deeply cut leaves. Silvery w			eap Weepi	
*4 to 5 ft			1.90	1.50
5 to 6 ft			2.50	$\frac{1.30}{2.00}$
6 to 8 ft			3.50	2.75
* — lenta, 40'-50'				eet Birch
Has attractive, smooth, redespring.	dish ba	rk, and consp		
6 to 7 ft		3.00	2.50	2.00
7 to 8 ft				
*— lutea, 50'-70' Bark silvery or light orang habit.	ge. Rug	ged, pictures		ow Birch Upright
8 to 10 ft		3.90	3.25	
10 to 12 ft.				
12 to 14 ft			6.00	
*— populifolia, 30'-40' Thrives in poor or sandy soil	l. White	e bark. Desira		ay Birch
planting.				
5 to 6 ft			1.25	1.00
6 to 8 ft			1.50	4
8 to 10 ft., 1¼ to 1½ in.			$\frac{2.25}{2.00}$	
10 to 12 ft. $1\frac{1}{2}$ to $1\frac{3}{4}$ in.			3.00 4.00	
10 to 12 ft., 1 34 to 2 in			4.00	

^{*} EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

Additional charge for multiple stems according to quality.

14 PRINCETON NURSER	RIES		
	Unit Pri 1-9	ice in Quan 10-49	tities 50-249
BIGNONIA grandiflora, $25'-40'$ (Campsis gr.)		se Trumpet	creeper
Orange-yellow trumpet-like flowers in Ju			9.0
1 year 2 year	$\begin{array}{c} .45 \\ .70 \end{array}$	$\begin{array}{c} .37 \\ .55 \end{array}$	$\begin{array}{c} .30 \\ .45 \end{array}$
— Mad. Gallen, 25'-40' (Campsis M. G.) An improved type of grandiflora, Darker	rorange	Trumpet flowers.	tcreeper
1 year	.55	.45	.35
2 year	.75	.60	.50
— radicans, 25'-40' (Campsis rad.)		Trumpe	tcreeper
Strong growing. Scarlet-orange flowers.	0.0	9.0	- P
1 year 2 year	.22	$\begin{array}{c} .20 \\ .30 \end{array}$.15 $.25$
BIOTA — (See THUYA ORIENTALIS)			
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
BUDDLEIA Summer	Flower	ing Butteri	fly Bush
— Dubonnet, 4'. Lavender			
— Farquhari, 4'. Light purple.			
— He de France, 4'. Dark purple—fragrant.			
— Orchid Beauty, 4'.	1- A	_	
 Pink Charming, 4'-6'. Long panicles of pin Princeton Red, 4'. 	k nower	S.	
— Princeton White, 4'.			
Above varieties at following prices:			
18 to 24 in	.37	.30	.25
2 to 3 ft. 3 to 4 ft.	$\begin{matrix} .45 \\ .55 \end{matrix}$	$\begin{array}{c} .37 \\ .45 \end{array}$	$\begin{array}{c} .30 \\ .35 \end{array}$
BRIDALWREATH (See SPIRAEA PRUNIFO	OLIA)		
BUCKTHORN (See RHAMNUS)			
BUTTERFLY BUSH (See BUDDLEIA)			
CAMPSIS (See BIGNONIA)	~-		
CALLICARPA purpurea, 3'-4'. Lilac violet berries, especially attractive		inese Beau	-
12 to 18 in	.37	.30	.25
18 to 24 in.	.55	.45	.35
CALYCANTHUS floridus, 4'-5'			t Shrub
An old garden favorite, with fragrant, da			
12 to 18 in	.37 $.55$.30 $.45$.25 .35
2 to 3 ft	.70	.55	.45
3 to 4 ft	1.00	.80	.65

	Unit Pri	ice in Quan 10-49	tities 50-249
CARPINUS betulus, 60'-70'		ropean Ho	
Leaves like Caroliniana but stronger, m		_	
4 to 5 ft., B&B	_	6.25	5.50
5 to 6 ft., B&B	13.00	11.00	9.00
6 to 8 ft., B&B	17.00	14.00	11.00
— caroliniana, 30'-40'	Ar	nerican Ho	ornbeam
Bluish-green foliage. Low, bushy. Exceeded well in shade.	ellent fal	ll coloring	. Grows
4 to 5 ft., B&B	7.60	6.75	5.75
5 to 6 ft., B&B	10.00	9.50	7.50
6 to 8 ft., B&B	14.25	11.75	9.50
10 to 12 ft., B&B	18.00	15.00	12.00
— japonica, 30'-40'	Ja	apanese Ho	ornbeam
Attractive, graceful tree. Foliage reddish	h-brown	when unfo	lding.
8 to 10 ft., B&B	15.00	12.00	10.00
10 to 12 ft., B&B	19.00	15.00	12.50
CELASTRUS orbiculatus, 15'-20'		ciental Bitt	
Rapid growing, high climbing shrubby to expose red seeds in fall.		ange fruit	opening
18 to 24 in., 1 year	.37	.30	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
— scandens, 15'-20'		erican Bit	tersweet
Fruit deeper colored and larger than the			
18 to 24 in., 1 year	.37	.30	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
CELTIS occidentalis, 50'-60'		На	ackberry
Resembles a slow growing Elm. Compa	ct in hab	it.	
6 to 8 ft	2.60	2.20	
8 to 10 ft	3.75	3.00	
10 to 12 ft	5.25	4.40	
CEPHALANTHUS occidentalis, 5'-6'		But	tonbush
Fragrant, creamy white flowers borne in	round h	neads July-	Septem-
ber. Good foliage. Likes moisture.			.25
ber. Good foliage. Likes moisture. 18 to 24 in	.37	.30	. 20
	.37 .55	.30 $.45$.35
18 to 24 in			
18 to 24 in. 2 to 3 ft.	.55	.45	.35
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.55 $.70$.45 .55 .70	.35 .45
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.55 .70 .85	.45 .55 .70 Kats	.35 .45 .55
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CERCIDIPHYLLUM japonicum, 20'-30'	.55 .70 .85	.45 .55 .70 Kats	.35 .45 .55
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CERCIDIPHYLLUM japonicum, 20'-30' Excellent symmetrical tree. Beautiful s	.55 .70 .85	.45 .55 .70 Kats d autumn	.35 .45 .55
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CERCIDIPHYLLUM japonicum, 20'-30' Excellent symmetrical tree. Beautiful s 5 to 6 ft., B&B.	.55 .70 .85 spring an 8.00 10.50	.45 .55 .70 Kats d autumn 6.50	.35 .45 .55



TWO-YEAR FLOWERING SHRUBS—Cut back, stocky, heavily branched. Princeton quality.

	Unit Price in Quantities		
	1-9	10-49	50-249
CERCIS canadensis, 12'-15'		American	Redbud
Rosy pink flowers in April. Also called .	Judas Tr	ee.	
2 to 3 ft	.60	.50	.40
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
— chinensis, 10'-12'		Chinese	Redbud
Deeper pink than canadensis. Compact a	growing.		
18 to 24 in	.90	.75	.60
2 to 3 ft	1.30	1.10	.90
3 to 4 ft	1.90	1.50	1.25

CHAENOMELES lagenaria (See CYDONIA)

CHAMAECYPARIS — THE RETINOSPORAS

CHAMAECYPARIS pisifera, 25'-35'	Sa	awara Reti	nospora
Fast growing evergreen. Loosely pyrami	dal.		
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
2½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.50	3.75	

PRINCETON NURSE	RIES		17
	Unit Pr	rice in Qua	ntities
	1-9	10-49	50-249
CHAMAECYPARIS pisifera aurea, 25'-35'	Golden S	Sawara Ret	tinospora
Same growth as pisifera. Foliage brigh	t yellow.		
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	$\frac{3.00}{5.5}$	2.50	$\frac{2.00}{2.50}$
2 ½ to 3 ft., B&B	3.75	$\frac{3.00}{4.50}$	2.50
3 to 4 ft., B&B	5.35	4.50	
— — filifera, 15′-20′		Chread Re	tinospora
Long, stringy, drooping, rich green fol			
12 to 15 in., B&B		.95	.75
15 to 18 in., B&B		1.25	1.00
18 to 24 in., B&B	2.25	1.90	1.50
— plumosa, 25′-35′	Plı	ıme Retino	ospora
Evergreen. Dense, fine texture. Shear			_
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	$\frac{1.30}{2.25}$	1.90	1.50
2 to 2 ½ ft., B&B	3.00	2.50	$\frac{2.00}{2.00}$
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50
4 to 5 ft., B&B	7.15	5.85	4.75
— — aurea, 20'-25'	Goldenplu	ıme Retine	ospora
Foliage golden yellow. Similar in ha	bit to plu	ımosa.	
12 to 15 in., B&B	1.45	1.20	.95
15 to 1 8in., B&B	1.75	1.40	1.15
18 to 24 in., B&B	2.40	2.00	1.60
2 to 2 ½ ft., B&B	3.20	2.70	2.15
2 ½ to 3 ft., B&B	4.10	3.50	2.75
201 201		M D -	4
— squarrosa veitchi, 25'-30'		Moss Re	etinospora
Foliage blue gray, feathery and dense.	4 4 0	0.7	F7 !
12 to 15 in			
18 to 24 in		$\frac{1.25}{1.90}$	
CHERRY, FLOWERING (See PRUNUS)	2.20	1.00	1.0
CHESTNUT. (See CASTANEA)			
CHIONANTHUS virginicus, 15'-18'		White F	ringetre
Abundant tassel-like white flowers May	v-June. B		_
18 to 24 in		.80	6.5
6 to 8 ft		$2.\overline{50}$	2.00
8 to 10 ft	4.50	3.75	3.00
CHOKEBERRY — (See ARONIA)			
CLEMATIS paniculata, 20'-25'	Swee	et Autumn	Clemati
White fragrant flowers. September. We vine.	ooly seed	pods. An	excellen
1 year	.30	.25	.20
2 year		.37	.3
3 year		.50	.40

	Unit Price 1-9		tities 50-249
CLETHRA alnifolia, 4'-5'			ersweet
Spikes of richly fragrant flowers. Julyshady places.	September.	Prefers	moist,
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 2 ½ ft	.70	.55	.45
CORNUS alba (sibirica), 8'-10'		nched D	
Bright red bark. Porcelain blue fruits. Gwinter effects. Very adaptable.	uick growe	er. Excell	
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
— alternifolia, 15′-18′		Blue D	ogwood
Horizontal branches. Blue-black fruits.		0.50	9.0
18 to 24 in 2 to 3 ft	.45 $.60$.37 $.50$.30 $.40$
	• • • •		o d
— amomum (sericea), 10'	ofona moiat		ogwood
Pale blue fruits. Young twigs purple. Pr	elers moisi	, location	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— elegantissima variegata, 6'-8'		blotch D	ogwood
Leaves are edged with creamy white. Ve			4.5
15 to 18 in	.60	.50	.40
— florida, 15'-25'	Whiteflo		
White flowers. A most popular spring berries.	flowering	small tr	ee. Red
2 to 3 ft., B.R	1.10	.95	.75
3 to 4 ft., B.R	1.90	1.50	1.25
4 to 5 ft., B.R	3.00	2.50	2.00
5 to 6 ft., B&B	7.50	6.00	5.00
6 to 8 ft., B&B	10.50	9.00	7.00
8 to 10 ft., B&B	15.00	12.50	10.00
10 to 12 ft., B&B	19.00	15.00	
Larger sizes—prices on application.			
— — rubra, 15'-20'	Redflo	wering I	Oogwood
Beautiful bright red flowers in spring.	Very strikin	ıg.	
18 to 24 in., B.R	1.90	1.50	1.25
2 to 3 ft., B.R		1.90	1.50
3 to 4 ft., B.R.		3.00	2.50
— paniculata (racemosa), 10'-12'		Gray I	Dogwood
Small white flowers. May. White fruits			
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	0.0	.55	.45
4 to 5 ft	.90	.75	.60

	Unit Pri	ce in Quan 10-49	
CORNUS sanguinea, 8'-10'	R1	oodtwig I)oowood
Dark red branches. Good foliage. Does w	vell in da	mp location	ns.
18 to 24 in. 2 to 3 ft.	.30	.25	.20
3 to 4 ft	$\begin{array}{c} \textbf{.45} \\ \textbf{.60} \end{array}$	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} .30 \\ .40 \end{array}$
4 to 5 ft	.75	.60	.50
— stolonifera, 7'-8'	R	ed-Osier I	ogwood
Spreading. Dark red bark. White fruits tions.	s. Does w	ell in dar	np loca-
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	60	.50
—— lutea (flaviramea), 6'-7'		lowtwig I	ogwood
Bright yellow bark. Excellent for winter		9.5	9.0
18 to 24 in	$\begin{array}{c} .30 \\ .45 \end{array}$	$\begin{array}{c} .25 \\ .37 \end{array}$	$\begin{array}{c} .20 \\ .30 \end{array}$
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
CORYLUS americana, 8'-9'		merican H	
Delicious nuts. Attractive and useful in hardy.	naturalist	ic plantin	gs. Very
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	$\begin{array}{c} \textbf{1.50} \\ \textbf{1.90} \end{array}$	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	1.00
COTONEASTER — Established in pots.			
— horizontalis (davidiana), 2'-3'. Rock Coto Spreading. Foliage boxlike. Red berries.			
— microphylla, 2'-3'. Rockspray. 6-9"			
Evergreen. Small leaves. Dark green. Mo Above varieties at following prices:	re bushy	than Hori	zontalis.
6 to 9 in., in pots	1.10	.95	.75
9 to 12 in., in pots	1.50		
12 to 15 in., in pots	1.90	1.50	1.25
— perpusilla. Smaller leaves and larger fru 9-12"	it than F	Horizontal	is. 6-9":
- rotundifolia; evergreen. Round leaves. Pr	rostrate r	ed berries	s. 12-15"
— salicifolia; partly evergreen. Spreading. F	Red berrie	es. 6-9"	
— simonsi; almost evergreen. Strong growe Above varieties at following prices:	r. Loose	habit. 12-	-15"
6 to 9 in., B&B	.75	.60	.50
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	1.25	1.00
CRABAPPLE (See MALUS)			

Unit Price in Quantities 1-9 10-49 50-249

CRATAEGUS — HAWTHORN

CRATAEGUS — HAWT			
CRATAEGUS arnoldiana, 20'		Arnold Ha	
An open-headed tree having white flower	rs in May	and brigh	t crim-
son fruit in August.			
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.50	7.50
coccinea (intricata), 15'-20'	<u></u>	Thicket Ha	wthorn
Shrubby habit. Oval leaves. Dull red fru	its in fall		
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00
— coccinoides, 20'		Kansas Ha	wthorn
Attractive rugged foliage. Red fruits.			
6 to 8 ft	6.75	5.50	-
8 to 10 ft	9.00	7.50	
— cordata (phaenopyrum) 12'-15'	Was	hington Ha	wthorn
Colorful in fall. Makes an excellent hed	ge.		
3 to 4 ft., B.R	3.00	2.50	2.00
4 to 5 ft. B.R.	3.75	3.00	2.50
5 to 6 ft., B&B	7.00	6.25	5.50
6 to 8 ft., B&B	10.25	9.00	8.00
8 to 10 ft., B&B	14.00	12.50	11.00
10 to 12 ft., B&B	17.75	16.25	14.25
12 to 14 ft., B&B	22.75	20.25	18.25
14 to 16 ft., B&B	29.50	26.50	
— crusgalli, 15'		Cockspu	
Deep green shiny leaves make this Ha flowers are also conspicuous.	wthorne	distinctive	; white
2 to 3 ft	2:60	2.20	1.75
3 to 4 ft	3.40	2.80	2.25
— mollis, 15'		Downy Ha	awthorn
Strong grower. Large leaves. Red fruits	5.		
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.00	7.50
12 to 14 ft	13.00	11.00	9.00
— oxycantha, 12'-15'		Englis	h Thorn
Single white flowers.		- ^^	
5 to 6 ft	6.00	5.00	
6 to 8 ft	7.50	6.00	
— pauli, 12 ′- 15 ′	Paul'	s Scarlet H	awthorn
Double scarlet flowers.			
3 to 4 ft., branched	3.00	2.50	2.00
4 to 5 ft., branched	4.50	3.75	3.00
5 to 6 ft., branched	6.00	5.00	4.00
— pyracantha lalandi (See PYRACANTHA)			

	Unit I	Price in Quan 10-49	
CYDONIA japonica (chaenomeles lagenaria),			50-249
Scarlet flowers, April. May. Spicy fruits			Quince
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— HYBRIDS, 4'-5' Boule de feu, double red. 12-18"; 18-2 Cardinalis, red flowering. 12-18"; 18-2 Crimson Beauty, bright crimson. 18-2 Superba atrosanguinea, redflowering.	24"; 2- 4"; 2-3	-3' '; 3-4'	ı
12 to 18 in	.60	.50	.40
18 to 24 in.	.90	.75	.60
2 to 3 ft 3 to 4 ft	$\frac{1.20}{1.50}$	$egin{array}{c} 1.00 \ 1.25 \end{array}$	$\frac{.80}{1.00}$
CYPRESS (See CHAMAECYPARIS)			
CITRESS (See CHAMAECTI ARIS)			
DEUTZIA gracilis, 3'		Slender	Deutzia
Heavily ladened with snow white flowers shrub.	in Ma	y. Useful faci	ng
9 to 12 in	.45	.37	.30
12 to 15 in.	.60	.50	.40
15 to 18 in	.75	.60	.50
— — rosea, 3'		Rose	panicle
Similar in growth to above but with pink	rish flo	wers.	
9 to 12 in.	.45	.37	.30
12 to 15 in	$\begin{array}{c} .60 \\ .75 \end{array}$	$\begin{array}{c} .50 \\ .60 \end{array}$	$.40 \\ .50$
	. • •		
— lemoinei, 4'-5'		Lemoine :	Deutzia
Large flowering, white. June. 12 to 18 in	.45	.37	.30
18 to 24 in.	.60	.50	.40
— magnifica, 9'-10' Double white. Rugged growth.	Giai	nt Flowered	Deutzia
2 to 3 ft	.60	.50	.40
3 to 4 ft.	.75	.60	.50
4 to 5 ft	.90	.75	.60
— crenata fl. pl., 6'-8'	Ι	Double Pink	Deutzia
Graceful habit. Double white, June.			
18 to 24 in	.37	.30	.25
2 to 3 ft	$.55 \\ .70$	$.45\\.55$	$\begin{array}{c} .35 \\ .45 \end{array}$
4 to 5 ft	.85	.70	.55
— scab. crenata fl. pl., 6'-8'	Ι	Oouble Pink l	Deutzia
Double pink, June.			
18 to 24 in	.37	.30	.25
2 to 3 ft	$.55 \\ .70$.45 $.55$	$\begin{array}{c} .35 \\ .45 \end{array}$
4 to 5 ft	.85	.70	.55

PRINCETON NURSER	CIES		
	Unit Pri 1-9	ce in Quar 10-49	tities 50 -24 9
DEUTZIA scab. Pride of Rochester, 9'-10'		Flowered	Deutzia
Pink changing to white. June. Fast grow	ring.		
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.05	.90	.70
DIERVILLA sessilifolia (lutea), 4'-5' S Yellow flowers June-July. Vigorous grow Excellent for contrast.	outhern l er; purpl	Bush Hone ish-bronze	foliage
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
DOGWOOD (See CORNUS)			
¾ E }&			
			011
ELAEAGNUS angustifolia, 15'-18'	. ~		an Olive
Silvery leaves and branchlets. Orange be conditions.			
2 to 3 ft	.55	.45	.38
3 to 4 ft	.70	.55	.45
— longipes (multiflora), 6'-8' Silvery leaves. Yellow flowers, fragran ripening in July.	t. May.		berries
18 to 24 in	.70	.55	.45
2 to 3 ft	1.00	.80	.65
— umbellata, 8'-10'		Autumn I	
Powdery green leaves. Clusters of amber	r berries.	Very har	dy.
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.10	.95	.78
5 to 6 ft	1.50	1.25	1.00
ELDER (See SAMBUCUS)			
ELM (See ULMUS)			
ENKIANTHUS campanulatas, 20'-25' Erect shrub of great ornamental value.	Wonderf	l Vein En ul with er	
and broad leaved evergreens. Prefers per			
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.60	2.20	
EUONYMUS alatus, 9'-10' Has corky bark. Bright crimson autumn		Winged E	uonymu
12 to 18 in	.70	.55	.43
18 to 24 in	.90	.75	.60
2 to 3 ft	1.30	1.10	.9(
3 to 3½ ft	1.90	1.50	

THINODION NORDEL			40
	Unit Pi	rice in Quar 10 -4 9	tities 50-249
EUONYMUS alatus compactus, 4'-5'	Dwarf	Winged Eu	onymus
Dwarf form of alatus. Compact. Excelle coloring.	nt for h	nedge. Brill	iant fall
12 to 15 in	.70	.55	.45
15 to 18 in	.90	.75	.60
18 to 24 in	1.30	1.10	.90
2 to 3 ft	1.90	1.50	1.25
— europaeus, 12'-14'	Euro	pean Burni	ng bush
Pink fruits on long stalks, persisting a lo	ng time) .	
18 to 24 in.	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— radicans, 3'-4'		Winte	rcreeper
Evergreen. Self clinging vine. Good for useful for under planting among evergr		ng low wa	lls; also
6 to 9 in., 1 year	.37	.30	.25
9 to 12 in., 2 year		.45	.35
12 to 18 in., 2 year	.70	.55	.45
	Purnlala	aved Winte	
Evergreen. Foliage narrow, long and tin	_		_
winter color.	_		
9 to 12 in., 2 year	.37	.30	.25
12 to 15 in., 3 year	$.55 \\ .70$.45 $.55$.35
			, ,
— vegetus, 3'-4'		gleaf Winte	-
Evergreen. Bushy. Leaves round, dull gr among evergreens. Makes good formal	hedge o		excellent
6 to 9 in., 2 year, pots		.45	.35
9 to 12 in., 2 year, pots			
12 to 15 in	1.10	.95	.75
15 to 18 in	1.50	1.25	1.00
EXOCHORDA grandiflora, 6'-9'		Common Po	earlbush
Dazzling, white fllowers, May. Is impro-			0.5
18 to 24 in	.37	.30	.25
2 to 3 ft	$.55 \\ .70$.45 $.55$.35
5 to 1 tt		.00	er.
FAGUS sylvatica, 75'-100'		Europea	n Beech
Slow growing. Makes large handsome tre	ee.		
6 to 8 ft., B&B	10.50	9.00	
8 to 10 ft., B&B	15.00	12.50	
10 to 12 ft., B&B	$\begin{array}{c} 22.50 \\ 30.00 \end{array}$	$\begin{array}{c} 19.00 \\ 25.00 \end{array}$	
— — asplenifolia, 20'-30'			af Beech
Useful as specimen tree. Finely cut leave	es. Grac		
	5.00	4.00	
3 to 4 ft., B&B	6.00	5.00	
4 to 5 ft., B&B	9.00	7.50	
5 to 6 ft., B&B	13.50	11.00	
4 to 5 ft., B&B	$\begin{array}{c} 6.00 \\ 9.00 \end{array}$	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	

CIES		
Unit Pri 1-9	ce in Quan 10-49	tities 50-249
Pyr	amidal Eu	r. Beech
5.00	4.00	
7.50	6.00	
10.00		
12.70	10.60	
River'	s Europea	n Beech
7.50	6.00	
	Border F	orsythia
eaves un		_
caves un	TOIG, TIOI	abo and
.55	.45	.35
.70		.45
.90	.75	.60
Showy	Border F	orsythia
		.25
		.35 $.45$
		.60
		orsythia
	,,	
	.25	.20
.37	.30	.25
.55	.45	.35
.70	.55	.45
	Fortune F	orsythia
.30	.25	.20
.37	.30	.25
.55	.45	.35
.70	.55	.45
Gr	eenstem F	orsythia
		_
9.77	2.0	.25
		.35
.00	, 10	.00
	W	hite Ash
home in	moist locat	ions.
1.50	1.25	1.00
2.25	1.90	1.50
3.00	2.50	2.00
		2.50
		$\frac{3.50}{4.50}$
0.70	0.00	4.00
	Unit Pri 1-9 Pyr 5.00 7.50 10.00 12.70 River'st form of 6.00 7.50 Reaves un .55 .70 .90 Showy .37 .55 .70 .90 anks30 .37 .55 .70 .90 Gran foliage .37 .55 .70 Gran foliage	Unit Price in Quanters 10-49 Pyramidal Europeants 10.00

Unit Price in Quantities 1-9 10-49 50-249

GINKGO biloba (Salisburia), 50'-75' Picturesque. Exotic, stately. Distir Maidenhair fern. Immune from in	nct foliag	se shaped 1	ike
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.75	3.00	2.50
8 to 10 ft., 1 ¼ to 1 ½ in	4.90	4.05	3.25
10 to 12 ft., 1½ to 1¾ in	6.75	5.50	4.50
10 to 12 ft., 1 3/4 to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2½ in	12.00	10.00	

GLEDITSIA triacanthus, 60'-70'	Con	nmon Hone	eylocust		
Thorny tree. White fragrant flowers. May. Good in gravelly					
locations. Does not shade out lawn	s. A gra	ceful tree	of good		
growth characteristics and clean by	right fol	iage.			
6 to 8 ft	2.25	1.90	1.50		
8 to 10 ft., 1 to 1 1/4 in	3.00	2.50	2.00		
8 to 10 ft., 1 1/4 to 1 1/2 in	3.75	3.00	2.50		
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	5.50	4.50		
10 to 12 ft., 1 3/4 to 2 in	10.00	8.00	6.50		
12 to 14 ft., 2 to 2½ in	12.70	10.60	8.50		
· · · · · · · · · · · · · · · · · · ·	17.00	14.00	11.00		

— — inermis, 60'-70' Similar to triacanthos. Almost thornless.	Thor	nless Hone	eylocust
8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	4.50 7.50 10.50 13.50	$3.75 \\ 6.00 \\ 8.80 \\ 11.00$	$3.00 \\ 5.00 \\ 7.00 \\ 9.00$
GYMNOCLADUS dioicus, 40'-50'	K	entucky Co	ffeetree
Light blue green foliage. Slow growing.	Pictures	que outline	e.
6 to 8 ft	4.50	3.75	
8 to 10 ft	6.00	0.00	
10 to 12 ft	9.00	7.50	

{ H }			
HALESIA tetraptera (carolina), 12'-15'		Great S	Silverbell
White bell-shaped flowers in May. branchlets.	Profusely	borne al	long the
2 to 3 ft.	.75	.60	
3 to 4 ft	1.05	.90	
HAMAMELIS virginiana, 10'-12'	Con	nmon Wit	ch Hazel
Yellow ribbon-like flowers in late fall. tions.	Good in	moist, sha	ady loca-
18 to 24 in	.55	.45	.35
2 to 3 ft	.75	.60	.50
3 to 4 ft		.80	.65

Unit	Price in	Quan	tities
1-9	10-	49	50-249

HAWTHORN	(See	CRATAEGUS))
----------	------	------------	---

HEDERA helix (hardy strain), 20'-50'	Eng	lish Ivy	
Evergreen. Good ground cover for shady cover. Clinging.	location	s. An ide	al wall
15 to 18 in., 3 in. pots	.30	.25	.20
— — baltica, 20'-50'	На	ardy Eng	lish Ivy
Hardy strain of Hedera helix			
3 in, pots	.50	.40	

HEMLOCK (See TSUGA)

HIBISCUS syriacus (Althea), 10'-12'

Shrub-althea

Rather formal in outline, flowering in August and September. Also called Rose of Sharon.

Ardens, double rose violet.

Boule de feu, double bright red.

Comte de Haimont, double pink, white mottled.

Jeanne d'Arc, semi-double white.

Lucy, double rose red.

Paeoniflorus, double pink.

Pulcherrimus, double pink, crimson center.

Purpureus semiplenus, semi-double purple.

Rubis, single red.

Totus alba, single white.

			inft	$\begin{matrix} .30 \\ .45 \end{matrix}$	$\begin{array}{c} .25 \\ .37 \end{array}$	$\begin{array}{c} \textbf{.20} \\ \textbf{.30} \end{array}$
3	to	4	ft	.60	.50	.40
4	to	5	ft	.75	.60	.50

The following selected varieties of Hibiscus have exceptionally good color and are slower growers.

Coelestis, single blue. 12-18"; 18-24"; 2-3'.

W. R. Smith, single white, large flwg. 12-18"; 18-24".

12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft.	.75	.60	.50

HONEYLOCUST (See GLEDITSIA)

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HYDRANGEA arborescens grandiflora alba, 4'-5' Snowhill Hydrangea (sterilis)

Large double white flower panicles in August. Rich green foliage.

12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45



HYDRANGEA P. G.—Our selected type.

	Unit Pri 1-9	ice in Qua 10-49	
HYDRANGEA Otaksa, 2'-3' Blue flowers throughout summer. Show for best color. Does better with winter 6 to 9 in., 1 yr. field grown		anted in	drangea acid soil
heavy strong roots 9 to 12 in., 1 yr. field grown heavy strong roots	.45	.37	.30
— paniculata (TYPE), 8'-9' Bears long loose panicles of white flower	1	Panicle Hy	, , , , , , , , , , , , , , , , , , ,
18 to 24 in		.50	$\begin{array}{c} \textbf{.40} \\ \textbf{.50} \end{array}$
——— grandiflora, 8'9' Very showy. Large closely packed par August. Turns pink later.		Peegee Hy white flo	
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \end{array}$	$\begin{array}{c} .30 \\ .45 \\ .55 \\ .70 \end{array}$	$\begin{array}{c} .25 \\ .35 \\ .45 \\ .55 \end{array}$
——— standard 8'-9'		Tree Hy	drangea
Useful for formal effects in the garden. 3 to 4 ft	$\frac{1.50}{1.90}$	$\begin{array}{c} \textbf{1.25} \\ \textbf{1.50} \end{array}$	$\begin{matrix} \textbf{1.00} \\ \textbf{1.25} \end{matrix}$
— quercifolia, 3'-4' Leaves shaped like an oak leaf. Beauticeeds in shade. Very desirable.		k Leaf Hy mn colori	
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} 1.20 \\ 1.50 \end{array}$	$egin{array}{c} 1.00 \ 1.25 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
HYPERICUM aureum, 3'-4' Yellow, July-August, Blue-green foliage		den St. Jo abit.	hnswort
18 to 24 in	.45	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} \textbf{.30} \\ \textbf{.40} \end{array}$

	RIES		
	Unit Pri 1-9	ce in Qua 10-49	ntities 50-249
HYPERICUM densiflorum, 4'-5'			
Yellow, July-Sept. Free flowering; good	for sand	y soil.	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— kalmianum, 3'-5 '		Kalm H	ypericum
Large yellow flowers. July-August.			
18 to 24 in	.45	.37	.30
. 0/		Cold	lenflower
— moserianum, 2' Hybrid form. Useful in perennial bor	der Gold		
over two inches across.			
9 to 12 in	.45 $.55$	$\begin{array}{c} .37 \\ .45 \end{array}$.30 . 35
12 to 13 m	.00	. 10	.00
— prolificum, 4'-5'		bby St. J	
Strong, vigorous grower. Masses well a	s ground	cover in	very dry
or sandy soils.		0.7	9.0
18 to 24 in	$.45 \\ .60$	$\begin{array}{c} .37 \\ .50 \end{array}$.30 $.40$
2 to 5 ft	.00	.00	
(*)			
ILEV manata 8/ 10/		Tanan	ese Holly
ILEX crenata, 8'-10' Evergreen, Box-like leaves, Deep green	Black he	_	csc from
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.75	2.25
2 to 2 ½ ft., B&B	5.25	4.40	3.50
—— convexa (bullata), 4'-5'	Co	onvex leav	ved Holly
Evergreen. Slow growing. Shiny convex	foliage		
9 to 12 in., B&B		1.25	
12 to 15 in., B&B		$\begin{array}{c} 2.20 \\ 2.75 \end{array}$	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$
15 to 18 in., B&B	3.40	4.13	4.40
— — microphylla, 6'-8'	Littlele	eaf Japan	ese Holly
Evergreen. Small Leaves. Quite hardy.			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	3.00 3.75	2.50 3.00	$egin{array}{c} 2.00 \ 2.50 \end{array}$
18 to 24 in., B&B	5.10	3.00	2.00
— glabra, 5'-6'			Inkberry
Evergreen. Shiny dark green leaves. Puries. Good in shade or sun.	irplish in	winter. B	Black ber-
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	
	4.50	3.75	3.00
2 to 2 ½ ft., B&B			TT 11
		Americ	ean Holly
2 to 2½ ft., B&B	artial shad		ean Holly
2 to 2½ ft., B&B	3.75	de. 3.00	2.50
2 to 2½ ft., B&B	$\begin{array}{c} 3.75 \\ 6.00 \end{array}$	3.00 5.00	2.50 4.00
2 to 2½ ft., B&B	$3.75 \\ 6.00 \\ 7.50$	de. 3.00	2.50

TITINOETON NORDE.			40
	Unit Pr 1-9	ice in Quai 10-49	
ILEX verticillata (prinos), 6'-8'		Win	terberry
Bright red berries to medium in winter.	Not ever	green.	
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
IVY (See AMPELOPSIS or HEDERA)			
JAPANESE MAPLE (See ACER palmatum)			
JAPANESE QUINCE (See CYDONIA)			
JASMINUM nudiflorum, 3'		Winter	Jasmine
Yellow. April-May. Needs protection in first to bloom in the Spring.	northern	states. Or	ne of the
12 to 18 in	.37	.30	.25
18 to 24 in	$\begin{array}{c} .55 \\ .70 \end{array}$	$\begin{array}{c} .45 \\ .55 \end{array}$	$.35 \\ .45$
	. 10	. 0 0	.40
— stephanense, 8'		Stephan	Jasmine
Large fragrant flowers of soft pale pink		-	4.0
18 to 24 in	.60	.50	.40
JUDAS TREE (See CERCIS)			
JUNIPERUS chinensis, 15'-20'		Chinese	Juniper
Formal columnar. Gray green foliage.			•
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft. B&B	3.40	2.80	2.25
3 to 4 ft. B&B 4 to 5 ft., B&B	$\begin{array}{c} 5.25 \\ 6.75 \end{array}$	$\begin{array}{c} \textbf{4.40} \\ \textbf{5.50} \end{array}$	
—— columnaris (pyramidalis), 15'-20' Blue			Juniper
Fast growing. Narrow columnar. Gray g			2.05
2 to 3 ft. B&B 3 to 4 ft. B&B	$\begin{matrix} 3.40 \\ 6.00 \end{matrix}$	$egin{array}{c} 2.80 \ 5.00 \end{array}$	$\frac{2.25}{4.00}$
4 to 5 ft., B&B	7.50	6.00	5.00
5 to 6 ft., B&B		8.00	6.50
minidia 47/ 00/	Calumna	m Chinaga	Tuninos
		r Chinese	Jumper
Light green form of the above, slightly			10.00
7 to 8 ft., B&B 8 to 10 ft., B&B		$\begin{array}{c} 12.25 \\ 15.00 \end{array}$	12.50
	20100		
— japonica, 6'-8'		Japanese	Juniper
Low grower, Spreading, Dark green, Gro			4 50
12 to 15 in., B&B		$egin{array}{c} 1.90 \ 2.50 \end{array}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$
	3.75	3.00	2.50
2 to 2½ ft., B&B	5.00	4.00	3.25
— pfitzeriana, 5'-6'		Pfitzer	Juniper
Gray green feathery appearing. Broad b	ushy hah		~
12 to 15 in., B&B		1.50	1.25
15 to 18 in., B&B	3.40	2.80	
18 to 24 in., B&B	5.00	4.00	3.25



JUNIPERUS EXCELSA STRICTA—A wonderful lot of this popular variety. Very clean and thrifty and the right sizes.

	Unit Pri 1-9	ice in Quar 10-49	
JUNIPERUS chinensis sargenti, 1½' Evergreen. Prostrate habit, grass-green cover and rock plant.	foliage.	Sargent A Valuable	
9 to 12 in	1.90	± 1.50	1.25
— communis canadensis, 5'-6' Low vase shape. Leaves dark green abov	e, bluish		Juniper th.
15 to 18 in., B&B	$egin{array}{c} 1.90 \ 2.60 \ 3.75 \ 5.00 \ \end{array}$	$egin{array}{c} 1.50 \\ 2.20 \\ 3.00 \\ 4.00 \\ \end{array}$	1.25 1.75 2.50 3.25
— hibernica, 20'-30' Narrow pyramid. Gray green foliage.		Irish	Juniper
12 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B	$1.10 \\ 1.90 \\ 2.60$	$\begin{array}{c} .95 \\ 1.50 \\ 2.20 \end{array}$	$\begin{array}{c} .75 \\ 1.25 \\ 1.75 \end{array}$
—— suecica, 20'-30' Quick growing. Narrow, upright form.		Swedish	Juniper
15 to 18 in., B&B	$1.10 \\ 1.90 \\ 2.60$	$\begin{array}{c} .95 \\ 1.50 \\ 2.20 \end{array}$	$ \begin{array}{r} .75 \\ 1.25 \\ 1.75 \end{array} $
— excelsa stricta, 10'-12' Broad based pyramid. Gray green folias		oiny Greek popular.	Juniper
9 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2 ½ ft., B&B	$egin{array}{c} 1.50 \\ 1.90 \\ 2.60 \\ 3.40 \\ 4.10 \\ \end{array}$	$egin{array}{c} 1.25 \\ 1.50 \\ 2.20 \\ 2.80 \\ 3.50 \\ \end{array}$	1.00 1.25 1.75 2.25 2.75

FRINCEION NURSEI	TES		51
	Unit P	rice in Quar 10-49	
JUNIPERUS horizontalis (sabina prostrata)			
		eping Savin	Juniper
Prostrate. Good ground cover or for roc		•	
2 to 2 ½ ft. B&B	3.75	3.00	2.50
— — Bar Harbor, 6"-12"		Bar Harbor	Tuninar
Gray-green foliage, very dwarf.		Dai Harbor	oumper
6 to 9 in	1.10	.95	.75
9 to 12 in	1.50	1.25	1.00
— depressa plumosa, 2'-3'			Juniper
Spreading type. Hardy. Purplish in winter			
12 to 15 in., B&B	1.90	$\frac{1.50}{2.00}$	1.25
15 to 18 in., B&B	$\frac{2.60}{3.40}$	2.20 2.80	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$
18 to 24 in., B&B	$\frac{3.40}{4.50}$	$\frac{2.80}{3.75}$	$\frac{2.25}{3.00}$
2 to 2 72 ft., B&B	1.00	0.10	0.00
——— douglasi, 1'-1½'		Waukegan	Juniper
Evergreen. Long branches trailing alon			
age. A splendid ground cover; also effect	etive ar	nong rocks.	Distinct
purple hue in winter.	1 50	4.05	4 00
9 to 12 in. 12 to 15 in.	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$	$egin{array}{c} 1.25 \ 1.90 \end{array}$	$1.00 \\ 1.50$
12 (0 15 111	4.40	1.00	1.00
— squamata meyeri, 3'-4'		Meyer	Juniper
Deep blue green, Dwarf, Desirable.			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.50	3.75	3.00
— virginiana, 35'-50'		F	Redcedar
Deep green. Forms a dense column, Purp	olish in	winter.	
6 to 8 ft., B&B	8.50	7.00	
8 to 10 ft., B&B	11.00	9.50	
1 1 40/40/			* 1
— burki, 10'-12'		Burks	Juniper
Distinct blue. Forms a dense column.	0.55	9.00	0 50
2 to 3 ft., B&B	$\begin{array}{c} 3.75 \\ 6.00 \end{array}$	$egin{array}{c} 3.00 \ 5.00 \end{array}$	$egin{array}{c} 2.50 \ 4.00 \end{array}$
3 to 4 ft., B&B 4 to 5 ft., B&B	$\frac{6.00}{7.50}$	6.00	$\frac{4.00}{5.00}$
5 to 6 ft., B&B	10.00	8.00	6.50
—— canaerti, 12'-15'		Canaert R	ledcedar
Blackish-green foliage. Dense growing co			
2 to 3 ft., B&B	$\frac{3.75}{0.00}$	$\frac{3.00}{5.00}$	2.50
3 to 4 ft., B&B	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	$egin{array}{c} 5.00 \ 6.00 \end{array}$	$egin{array}{c} 4.00 \ 5.00 \end{array}$
4 to 5 ft., B&B	10.00	8.00	6.50
o to tru, bab			
— glauca, 15'-20'		Silver R	ledcedar
Blue gray foliage. Columnar, tall, narroy			
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	$\frac{3.75}{7.50}$	$\frac{3.00}{c}$	$\frac{2.50}{5.00}$
4 to 5 ft., B&B	7.50 13.50	$\begin{smallmatrix}6.25\\11.00\end{smallmatrix}$	$\begin{array}{c} 5.00 \\ 9.00 \end{array}$
6 to 7 ft., B&B	17.00	14.00	11.00
1 CO O LOG DOD			



ANDORRA JUNIPERS—A very uniform lot of this excellent spreading Juniper. Priced to make you money.

	Unit Price in Quantities		
	1-9	10-49	50-249
45/10/		Keteleer Re	edcedar
JUNIPERUS virg. keteleeri, 15'-18'			
Deep green foliage. Slate blue berrie	es. Com	pact, broad	Daseu
pyramid.			
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	4.00
6 to 7 ft., B&B	13.00	11.00	
,			ad a ad a m
— — pyramidalis, 35'-50'	F	yramidal R	edcedar
Columnar, dense, compact.		0.70	
2 to 3 ft., B&B	3.00	2.50	
3 to 4 ft., B&B	4.75	3.75	
4 to 5 ft., B&B	6.00	5.00	
5 to 6 ft., B&B	7.50	6.25	
		Schott R	adcedar
—— schotti, 12'-15'	hobit	Schott It	euceuar
Fresh green foliage. Formal columnar			
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	4.00
4 to 5 ft., B&B	7.50	6.00	5.00
7 to 8 ft., B&B	13.00	11.00	9.00
8 to 9 ft., B&B	17.00	14.00	11.00
KALMIA latifolia, 8'-10'		Mountai	
Evergreen. Pink flowers, June. Glossy for	oliage. P	refers shade	
15 to 18 in., B&B	0 0 0	1.90	1.50
18 to 24 in., B&B		2.50	2.00
18 to 24 III., D&D	3 75		2.50

2 to 3 ft., B&B

2.50

3.00

		ice in Quan	
TOT TWINGS A NO. O.	1-9	10-49	
KOLKWITZIA amabilis, 6'-8'			utybush
A distinctive pink flowering shrub. Very			0.0
12 to 18 in. 18 to 24 in.	.50	.37	.30
2 to 3 ft.	$\begin{array}{c} .60 \\ .75 \end{array}$.50 $.60$.40 $.50$
3 to 4 ft.	.90	.75	.60
LABURNUM vossi, 18'-20'		Gold	enchain
Attractive, small tree with yellow p racmes. June	ea-shape	d flowers	in long
3 to 4 ft	3.50	2.80	
4 to 5 ft	4.10	3.50	,
LAUREL (See KALMIA)			
LEUCOTHOE axillaris, 3'-4'		Coast Le	ucothoe
Similar to catesbaei being more compa able where the space is limited.		oit and mor	e desir-
12 to 15 in., B&B	2.40	2.00	
15 to 18 in., B&B	3.00	2.50	
18 to 24 in., B&B	$\frac{3.90}{5.00}$	3.25	
2 to 2 ½ ft., B&B	5.00	4.00	
— catesbaei, 3'4'	Γ	rooping Le	eucothoe
Evergreen. White flowers, May. Glossy Prefers shade.	foliage.	Rich fall c	coloring.
12 to 15 in., B&B	$\frac{1.90}{3.00}$	$\substack{1.50\\2.50}$	
LIBOCEDRUS decurrens, 100'		Calif. Incer	nsecedar
Handsome tall growing tree forming na reddish. Deep green foliage. Splendid a			d. Bark
5 to 6 ft., B&B	8.50	7.00	
6 to 8 ft., B&B		9.00	
LIGUSTRUM amurense, 14'-15'	10-49	50-249 Amu	250-up r Privet
Semi-evergreen. Upright. Olive green f	oliage. V	ery hardy.	
12 to 18 in	.11	.10	$.07\frac{1}{2}$
18 to 24 in	.20	.15	.10
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	
4 to 5 ft	.37	.30	
5 to 6 ft	.50	.40	
— ibolium, 8'-10'		Iboliur	n Privet
Similar to California Privet, but much l	nardier.		
12 to 18 in	.09	.07	.06
18 to 24 in	.11	.10	$.07 \frac{1}{2}$
2 to 3 ft	.20	.15	.10
3 to 4 ft	.22	.20	.15
— ibota regelianum (obtusifolium regal.), 5 Low, dense, spreading. Very desirable.	′-6′	Rega	al Privet
12 to 18 in	.27	$.22_{-1.2}$	
18 to 24 in	.40	$.32\frac{1}{2}$	
2 to 2½ ft	.55	.45	Electronic de la companya del companya del companya de la companya



LIGUSTRUM VICARI (Good near salt water) AND VITEX MACRO-PHYLLA—These two items are novelties of merit and Princeton specialties.

	1-9	10-49	50-249	250-up			
LIGUSTRUM ibota vicari, 8'-10' Golden Ibota Privet							
Striking yellow foliage. Clear even color.							
9 to 12 in	.37	.30	.25				
12 to 15 in	.55	.45	.35				
15 to 18 in	.70	.55	.45				
— lucidum (macrophyllum), 20' Evergreen. Rich glossy leav called Waxleaf Privet.	-25' ves. Hard	dy in shelte		sy Privet ons. Also			
12 to 15 in	.75	.60	.50				
15 to 18 in	1.00	.80	.65				
18 to 24 in	1.20	1.00	.80				
— ovalifolium, 12'-15'				ia Privet			
Most popular hedge plant.							
Heavy 2 and 3							
12 to 18 in	.11	.09	.07	.06			
18 to 24 in	.13	.11	.09	$0.7\frac{1}{2}$			
2 to 3 ft	.22	.20	$\begin{array}{c} .15 \\ .20 \end{array}$	$.10 \\ .15$			
3 to 4 ft	.27	.22	.20	.10			
LILAC (See SYRINGA)							
LINDEN (See TILIA)							
		1-9	10-49	50-249			
LIQUIDAMBAR styraciflua, 50'-	60′		S	weetgum			
Corky bark. Rich green foli		ws well in m	oist location	ons.			
6 to 8 ft		3.00	2.50	2.00			
10 to 12 ft., 2 to 2 1/4 in			5.85	4.75			
11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in			7.50	6.00			
12 to 14 ft., $2\frac{1}{2}$ to 3 in			9.50	7.50			
13 to 15 ft., 3 to $3\frac{1}{2}$ in		13.00	11.00	9.00			
LIRIODENDRON tulipifera, 60' Rapid growing. Yellow tuli		wers. June.		Tuliptree			
5 to 6 ft	_		1.90	1.50			
6 to 8 ft			2.50	2.00			
8 to 10 ft			3.00	2.50			



CALIFORNIA PRIVET (Ligustrum ovalifolium)—Two-year cut-back. Amply spaced for strong development. Note the many branches.

	Unit Pric	e in Qua 10-49	antities 50-249
LONICERA bella albida, 8'-9'	White B	elle Ho	neysuckle
Vigorous, white flowers. Blue green foli	age.		
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft		.55	.45
4 to 5 ft	.85	.70	.55
— fragantissima, 6'-8'	Win	nter Ho	neysuckle
White fragrant flowers, April, May. Ser	ni-evergree	en.	
18 to 24 in	.37	.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
— heckrotti, 15'-20'	Everbloom	ning Ho	neysuckle
Flowers purple outside, yellow inside.	July-Sept.		
2 year, No. 1	.60	.50	.40
— japonica halliana, 15'-25'	Hall Japan	nese Ho	neysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks.	white and	yellow.	Very fra-
1 year, 2 in. pots		.12	.10
1 year, fld. gr		.25	.20
2 year, fld. gr	.37	.30	.25
— maacki, 12'-15'	A	mur Ho	neysuckle
Vigorous grower. Thrives under negle White flowers in May followed by red fr		t and s	preading.
18 to 24 in		.37	.30
2 to 3 ft		.50	
3 to 4 ft	.75	.60	.50
— maacki podocarpa, 8'-9'			neysuckle
Strong grower. Stands neglect. White f			
18 to 24 in		.37	.30
2 to 3 ft		.50	.40
3 to 4 ft	0.0	$.60 \\ .75$	$\begin{array}{c} .50 \\ .60 \end{array}$
4 to 5 ft	. 9 U	. ()	.00



FLOWERING SHRUBS—Two-year cutback. We space our shrubs for strong and vigorous development. Priced to make you money.

27	Unit Pric	e in Qua	ntities
	1.9	10-49	
LONICERA morrowi, 7'-8'	Moi	row Hon	eysuckle
Spreading habit. White flowers, May, Ju	ne. Red b	erries.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	$.70 \\ .85$	$.55 \\ .70$.45 $.55$
4 to 5 ft			
— — xanthocarpa, 7'-8' Yellow Fr			eysuckie
Spreading habit. White flowers, May-Jur			.25
18 to 24 in	.37 $.55$	$\begin{array}{c} .30 \\ .45 \end{array}$.25 $.35$
2 to 3 ft		rian Hon	
— ruprechtiana, 8'-9' Creamy white flowers, June. Red and ora			Cysuckie
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
—tatarica alba, 9'-10'	Vhite Tata	rian Hon	eysuckle
White flowers. Red fruit. Very adaptabl	e.		
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45 $.55$	$\begin{matrix} .35 \\ .45 \end{matrix}$
3 to 4 ft	.70 $.85$.70	.55
pulcherrima, 9'-10' Bright			
Very desirable, bright red flowers. Large			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— — rosea, 9'-10'	Pink Tata	rian Hon	eysuckle
Pink flowers, Red fruit. Very adaptable.			
12 to 18 in	.22	.20	.15
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35

PRINCETON NURSE	RIES		37
	Unit P 1-9	rice in Quai 10-49	ntities 50-24 9
LONICERA tatarica zabelli, 9'-10'		Zabell Hon	eysuckle
An improved strain of red tatarian Hor	neysuckl	le.	
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
LYCIUM chinense, 10'-12' Violet flowers, June. Bright red fruits.		ese Matrim	_
12 to 18 in	.22	.20	.15
18 to 24 in		.25	.20
2 to 3 ft		.37	.30
LYONIA ligustrina, 10'-12'		Ho Huo	lel obount
	A 1	He-IIuc	_
Has attractive white flowers May-July.			
18 to 24 in., B&B		1.90	
2 to 3 ft., B&B		2.50	
3 to 4 ft., B&B	4.50	3.75	3.00
MAGNOLIA glauca (virginiana), 15'-20'		S	weetbay
Fragrant creamy white flowers, May. moist location.	Nearly		
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00
— kobus, 20'-30'		Kobus N	Magnolia
White flowers before leaves. Very hardy			
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	8.50	7.00	5.50
6 to 8 ft., B&B	11.00	9.50	7.50
8 to 10 ft., B&B	15.00	12.50	10.00
10 to 12 ft., B&B	19.00	15.00	12.50
SAUCER MAGNOLI	IAS		
SAUCER MAGNOLI — soulangeana, 15'-18'		Saucer Mag	nolia
		Saucer Mag	nolia
— soulangeana, 15'-18' Purplish-pink flowers; May. Most pop Beautifully grown plants. Well branch	pular.		nolia
— soulangeana, 15'-18' Purplish-pink flowers; May. Most pop Beautifully grown plants. Well branch Outstanding quality.	pular. ned and	budded.	nolia
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. ned and	budded. 2.50	2.00
— soulangeana, 15'-18' Purplish-pink flowers; May. Most populate Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. ned and 3.00 4.10	budded. 2.50 3.50	2.00 2.75
— soulangeana, 15'-18' Purplish-pink flowers; May. Most populations and populations are selected by the solution of the solut	pular. 1 and 3.00 4.10 5.60	2.50 3.50 4.75	2.00 2.75 3.75
— soulangeana, 15'-18' Purplish-pink flowers; May. Most population of Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	ned and 3.00 4.10 5.60 7.50	2.50 3.50 4.75 6.00	2.00 2.75 3.75 5.00
— soulangeana, 15'-18' Purplish-pink flowers; May. Most population of Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. 1 and 3.00 4.10 5.60	2.50 3.50 4.75	2.00 2.75 3.75
— soulangeana, 15'-18' Purplish-pink flowers; May. Most pop Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	3.00 4.10 5.60 7.50 0.00	2.50 3.50 4.75 6.00 8.00	2.00 2.75 3.75 5.00 6.50
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	3.00 4.10 5.60 7.50 0.00	2.50 3.50 4.75 6.00	2.00 2.75 3.75 5.00 6.50
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. 1.00 4.10 5.60 7.50 0.00	2.50 3.50 4.75 6.00 8.00	2.00 2.75 3.75 5.00 6.50
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. ned and 3.00 4.10 5.60 7.50 0.00 What 3.00	2.50 3.50 4.75 6.00 8.00	2.00 2.75 3.75 5.00 6.50
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. and 3.00 4.10 5.60 7.50 0.00 What 3.00 4.10	2.50 3.50 4.75 6.00 8.00 ite Saucer M	2.00 2.75 3.75 5.00 6.50
— soulangeana, 15'-18' Purplish-pink flowers; May. Most por Beautifully grown plants. Well branch Outstanding quality. 18 to 24 in., B&B	pular. ned and 3.00 4.10 5.60 7.50 0.00 What 3.00	2.50 3.50 4.75 6.00 8.00	2.00 2.75 3.75 5.00 6.50



GNOLIA SOULANGEANA—Quality everyone wants. Strong, well-branched, quality trees. Price reduced. Your customers will like them. MAGNOLIA

branched, quality trees. Price reduced. Your	custome	rs will like t	nem.		
	Unit P	rice in Quai 10-49	titles 50-249		
	1-9				
MAGNOLIA stellata, 8'-10'		Star N	Iagnolia		
Shrubby habit. Fragrant semi-double flo	wers co	oming before	e leaves.		
18 to 24 in	6.00	5.00			
2 to 2½ ft., B&B	7.50	6.25			
2 ½ to 3 ft., B&B	9.00	7.50	-		
3 to 4 ft., B&B	11.00	9.00			
- tripetala, 30'-40'		Umbrella N	Magnolia		
Large leaves, white flower. Seed pods ar	e pink.				
6 to 7 ft., B&B	8.50	7.00			
7 to 8 ft., B&B	10.50	9.00			
8 to 10 ft., B&B	13.50	11.00			
MAHONIA aquifolia, 4' Oregon Grape					
Evergreen. Glossy leaves, scarlet in autu Blue-black berries. Likes partial shade.		llow flowers	s in May.		
10 to 12 in., B&B	1.50	1.25	1.00		
MAIDENHAIR — (See GINKGO)					
MALUS—FLOWERING	CRAB				
Our Malus are a nice lot. Clean young have ever grown.	thrifty	stock. The	best we		
MALUS arnoldiana, 8'-10'		Arn	old Crab		
White flowers. Very compact.					
3 to 4 ft	1.05	.90	.70		
4 to 5 ft	1.30	1.10	.90		
5 to 6 ft	1.75	1.40	1.15		
6 to 8 ft	2.25	1.90	1.50		
— atrosanguinea, 10'-15'		Carm	ine Crab		
Single red flowers in abundance.					
3 to 4 ft	1.05	.90	.70		
4 to 5 ft	1.30	1.10	.90		
5 to 6 ft	1.75	1.40	1.15		
6 +0 9 6+	9 9 5	1.90	1.50		

6 to 8 ft.....

2.25

1.90

1.50

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
MALUS floribunda, 10'-15'	Japane	se Floweri	ng Crab
Single rose colored flowers. Yellow fruit	ts.		
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.75	1.40	1.15
6 to 7 ft	2.25	1.90	1.50
— halliana parkmani, 10'-15'		Parkma	an Crab
Semi-double pink. Compact habit. Slow	growing.		
2 to 3 ft	1.00	.80	
3 to 4 ft	1.20	1.00	
4 to 5 ft	1.90	1.50	
— hoppi, 12'-15'		ed Floweri	ng Crab
Rose red double flowers. Red fruit. Hare	dy. Attrac	etive.	
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	$\frac{1.75}{2.25}$	1.40	1.15
6 to 8 ft	2.25	1.90	1.50
— ioensis plena, 10'-15'		Becht	tel Crab
Large double bright pink, Fragrant. La	te bloomi	ing.	
18 to 24 in	1.00	.80	.65
2 to 3 ft	1.10	.95	.75
3 to 4 ft	$\frac{1.50}{2.05}$	1.25	1.00
4 to 5 ft	2.25	1.90	1.50
— sargenti, 6'-8'		Sarge	ent Crab
Spreading. Straw colored flowers. Scarl	et fruit h	anging all	winter.
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	$\frac{2.00}{2.5}$	1.70	1.35
5 to 6 ft	$egin{array}{c} 2.70 \ 3.40 \end{array}$	$egin{array}{c} 2.25 \ 2.80 \end{array}$	$\begin{array}{c} 1.80 \\ 2.25 \end{array}$
	0.40		
— scheideckeri, 10'-15'		Scheideck	er Crab
Double red buds changing to pink. Yell	low fruits	5.	
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	$egin{array}{c} 1.40 \ 1.90 \end{array}$	$1.15 \\ 1.50$
6 to 8 ft			
— spectabilis, 10′-15′		se Floweri	ng Crab
Beautiful, double pink flowers; sweet s	cented.		
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.30	1.10	.90
— theifera (hupehensis), 15'-20'		T	'ea Crab
Sturdy, spreading. Literally covered wi	th pink fl	lowers.	
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.25	1.90	
— zumi calocarpa, 12'-15'			
Has large handsome bright red fruit and	d large pi	nk flowers.	A good
strong growing type.	1 10	0.5	
3 to 4 ft	$\begin{array}{c} 1.10 \\ 1.50 \end{array}$	$egin{array}{c} .95 \ 1.25 \end{array}$	
4 to 5 ft	1.00	1.20	



FLOWERING CRABAPPLES—Clean, straight, well branched, quality trees. Price reduced. Your customers will like them.

> Unit Price in Quantities 10-49 50-249 1-9

PURPLE FOLIAGED MALUS VARIETIES

Crimson Flowered

Aldenhamensis, 25'-40'. Reddish cast to foliage.

Eleyi, 10'-15'. Free blooming, reddish foliage.

Floribunda purpurea, 10'-15'. Purple foliage.

4	to	5	ft	1.30	1.10	
5	to	6	ft	1.75	1.40	-
-6	to	8	ft	2.25	1.90	

MAPLE (See ACER)

MATRIMONY VINE (See LYCIUM)

MOCKORANGE (See PHILADELPHUS)

2½ to 3 ft., B&B.....

MOUNTAIN LAUREL (See KALMIA)

MYRICA carolinensis, 4'-5'

Northern Bayberry Does well in poor, gravelly soil. Has decorative, gray berries, and

glossy, green foliage. Good for seashore. 15 to 18 in., B&B..... 1.501.25 1.00 18 to 24 in., B&B 3.002.502.00 2 to 2½ ft., B&B 3.753.002.50

5.00

4.00

3.25

MYRTLE (See VINCA)

PRINCETON NURSE	RIES		41
	Unit Pr	ice in Qua	
	1-9	10-49	50-249
OAK (See QUERCUS)			
OXYDENDRON arboreum, 25'-30'			OHNINOOA
· · · · · · · · · · · · · · · · · · ·	Ct:1		Sourwood
White flowers in August. Leathery folia ing.	ige. Strik	ang autun	nn color
2 to 3 ft., BR	1 65	1 9 5	1.00
3 to 4 ft., BR		$\begin{array}{c} 1.35 \\ 1.70 \end{array}$	
9 to 1 to, 13te	2.00	1.10	1.06
PACHYSANDRA terminalis, 6"-8"		Tananes	e Spurge
Evergreen. Ideal ground cover for shad	v nlagos	-	c ppuig
1 year, 2 in. pots	y places.	.20	.18
	.44	.20	. 1 с
PHELLODENDRON amurense, 25'-30'		Amur	Corktree
Hardy interesting tree with corky bark			
8 to 10 ft	3.75	3.00	2.5
10 to 12 ft., $1\frac{1}{2}$ to 2 in	5.25	4.40	
11 to 13 ft., 2 to 2 ½ in	6.75	5.50	
12 to 14 ft., 2 ½-3 in	8.50	7.00	5.50
PHILADELPHUS — MOCK	ORANG	E	
PHILADELPHUS coronarius, 9'-10'		Sweet Mo	ckorange
White fragrant flowers. Profusely born.			·
2 to 3 ft	.50	.40	.3(
3 to 4 ft	.60	.50	.4(
4 to 5 ft	.75	.60	.50
— virginalis, 7'-8'	Vi	rginal Mo	ckorange
Semi-double. Blooms throughout summe		_	
12 to 18 in	.45	.37	.30
18 to 24 in.	.60	.50	.4(
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.65
TARGE CROWING CR			
LARGE GROWING SPI		70.00	
Distinctive habit and large sh	_		9 /9/
 enchantment, 7'-8'. Double white in thick pubescens, 8'-10'. Racemes of 6 to 8 flow 	vors Eac	s, 10/44, th flower	∠/ə. inch and
a half across. $2/3'$, $3/4'$.	vers. Dae	on nower	inon who
Above Species at following prices:	4 5	0.7	9.0
18 to 24 in	.45	$\begin{array}{c} .37 \\ .45 \end{array}$.30 $.35$
2 to 3 ft	$\begin{array}{c} .55 \\ .70 \end{array}$.55	.35
3 to 4 It	. 1 0	.00	, 10
SMALLER GROWING SI	PECIES		
— albatre 4'-5'. Large single white flowers.		18-24". 2-	3′
- avalanche 4'-5'. Dwarf Mockorange. Arch			
- bouquet blanc, 4'-5'. White Bouquet Moc			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	$\begin{matrix} .45 \\ .50 \end{matrix}$	$\begin{matrix} .35 \\ .40 \end{matrix}$
2 to 3 ft	$\begin{array}{c} .60 \\ .75 \end{array}$.60	.50
3 to 4 ft		.00	.00



PHILADELPHUS VIRGINALIS—The true sweet-scented, constant blooming, double flowering Philadelphus. Our strain is much improved by careful selection.

	Unit Pr 1-9	ice in Qua 10-49	ntities 50-249
PHOTINIA subumbellata, 10'		Christr	nasberry
Slender branched shrub. Shrubby in cha	aracter. S		
18 to 24 in.	.55	.45	.35
2 to 3 ft	.70		
3 to 4 ft	.85	.70	
PHYSOCARPUS opulifolius, 9'-10'		Common 1	Vinebark
Creamy white, June. Vigorous. Good for	or shade.		
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— — aurea, 9'-10'		Golden N	Vinebark
Golden-leaved variety; white flowers in	early Ju	ne.	
18 to 24 in	.3-7	.30	.25
2 to 3 ft	.55		.35
3 to 4 ft	.70	.55	.45
PICEA excelsa (abies), 80'-100'		Norway	y Spruce
Dark green foliage. Rapid growth.			
2 to 2½ ft., B&B	2.50	2.00	
2½ to 3 ft., B&B	3.45	2.80	
3 to 4 ft., B&B	4.90	4.00	
— pungens kosteri, 60'-80'	F	Koster Blue	e Spruce
Selected for rich blue color. Grafted pla	nts of qu	iality.	
18 to 24 in., B&B	7.50	6.25	
2 to 2 ½ ft., B&B	10.00	8.00	

DWARF SPRUCES

We have been building up a stock of these unusual and attractive varieties of dwarf Spruces especially adapted for rockeries and locations when neat, compact evergreens are wanted.

locations when neat, compact evergre		inted.	
	lvailable		
PICEA excelsa Gregoryana 12-15", 15-			
—— nidiformis 12-15", 15-18", 18	3-24"	Birdsne	st Spruce
Above varieties at following prices:			
12 to 15 in., B&B		2.50	2.00
15 to 18 in., B&B		3.40	2.75
18 to 24 in., B&B	5.00	4.00	3.25
PIERIS japonica, 5'-6'	Ja	panese A	ndromeda
Evergreen. Drooping clusters of smal	l, white flo	wers ope	n in May.
9 to 12 in., B&B		1.25	1.00
12 to 15 in., B&B		1.90	1.50
15 to 18 in., B&B		2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
PINUS montana mughus, 3'-4'		Mı	igho Pine
Evergreen. Forms a round-topped cluand foundation work.	ump. Usefu	l for rock	planting
9 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.60	2.20	1.75
— nigra, 60'-70'		Aust	rian Pine
Evergreen. Rich, dark green. Vigor background. Thrives at seashore.	ous, dense	grower.	Good for
18 to 24 in., B&B	3.00	2.50	2.00
— resinosa, 60'-70'			Red Pine
Vigorous. Dark green, stiff needles.			
3 to 4 ft., B&B	5.50	4.50	
4 to 5 ft., B&B		7.00	
5 to 6 ft., B&B		9.00	
6 to 8 ft., B&B	13.50	11.00	
— strobus, 80′-100′		W	hite Pine
Dark green. Very adaptable. Pictures		ld.	
3 to 4 ft., B&B		4.50	3.50
4 to 5 ft., B&B		6.25	5.00
5 to 6 ft., B&B		7.50	6.00
6 to 7 ft., B&B	11.00	9.00	7.00
— sylvestris, 24'-30'		Sc	otch Pine
Evergreen. A rapid growing, handsom Good for windbreaks.	e tree, espe	cially who	en young.
18 to 24 in., B&B		1.90	1.50
2 to 3 ft., B&B	3.00	2.50	2.00
PLANE TREE (See PLATANUS)			
DE AMARITO STANKE TO A COL			

PLATANUS occidentalis, 75'-100'

American Planetree or American Sycamore Rugged, strong growing. Has smooth, almost white bark when developed. Very picturesque.

6	to	8 ft	1.90	1.50	1.25
		10 ft	2.85	2.35	1.90

	Unit Pri 1-9	ce in Quar 10-49	
PLATANUS orientalis, 70'-80'	E	uropean P	lanetree
A desirable, quick growing street or pa	rk tree.	Withstand	s smoky
6 to 8 ft	15.00	1.90 2.75 4.00 5.50 7.00 10.00 12.50 China Fl	
and fall. 2 year		.50	.40
POPULUS alba bolleana, 50'-60' Leaves white underneath. Columnar hal	bit. Good		a Poplar
4 to 6 ft	.75		
6 to 8 ft	1.10	.95	
— eugenie, 75′-90′		Carolin	a Poplar
Rapid grower. Succeeds in dry places ar	nd near se	eashore.	
4 to 6 ft	$\begin{array}{c} .55 \\ .75 \\ 1.10 \\ 1.50 \end{array}$	$\begin{array}{c} .45 \\ .60 \\ .95 \\ 1.25 \end{array}$	$egin{array}{c} .35 \ .50 \ .75 \ 1.00 \end{array}$
— maximowiczii, 60′-80′		Japanes	o Ponlar
Dark green foliage. Medium spreading stately, clean tree.	form. Gi	_	_
6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2½ in. 14 to 16 ft., 2½ to 3 in.	$egin{array}{c} 1.10 \\ 1.50 \\ 2.25 \\ 3.00 \\ 6.75 \\ \end{array}$.95 1.25 1.90 2.50 5.50	$\begin{array}{c} .75 \\ 1.00 \\ 1.50 \\ 2.00 \\ 4.50 \end{array}$
— nigra italica, 60'-80'		Lombard	y Poplar
Tall, spire-like. Good for landscape worl	k and scr	eens.	-
4 to 6 ft. whips 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1 1/4 to 1 1/2 in.	$\begin{array}{c} .37 \\ .70 \\ 1.05 \\ 1.45 \end{array}$		$\begin{array}{c} .25 \\ .45 \\ .70 \\ .95 \end{array}$
PRIVET (See LIGUSTRUM)			
PRUNUS cerasiferia pissardi, 12'-15'		Purplele	af Plum
Valued chiefly because of purplish foliaryear for best color effect	ge; shoul	_	
3 to 4 ft	$\begin{array}{c} \textbf{1.10} \\ \textbf{1.50} \end{array}$	$\begin{array}{c} .95 \\ 1.25 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
— glandulosa alba, 5'-6' Double white flowers in May. Very attra		Flowering	Almond
18 to 24 in.	.60	.50	.40
2 to 3 ft	.75	.60	.50

TRINCETON NURSES	RIES		4 0
	Unit Pri 1-9	ice in Quai 10-49	ntiti es 50 -24 9
PRUNUS glandulosa pink, 5'-6'	Pink	Flowering	Almond
Double pink flowers in May. Very attrac	tive.		
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
— maritima, 5'-6'		Bea	ch Plum
Small white flowers, April. Ideal for sa ing. Edible fruit.	ndy soil	and seasid	le plant-
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— subhirtella autumnalis, 25'-30'		Octobe	r Cherry
Strong sturdy tree. Semi-double, white fl green foliage. Brilliant fall coloring.	owers in	early sprin	ng. Dark
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.25	1.90	
5 to 6 ft	3.00	2.50	
— — Beni Higan, 25'-30'		Higai	n Cherry
Small tree. Upright. Single bright pink	flowers.		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft 6 to 10 ft	$\begin{array}{c} 4.50 \\ 6.00 \end{array}$	$\begin{matrix}3.75\\5.00\end{matrix}$	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$
— — pendula, 12'-15'	Weeping	Japanese	Cherry
A most beautiful and graceful tree, coin early spring.		_	
4 to 5 ft. stems, 1 year heads	3.75	3.00	2.00
5 to 6 ft. stems, 1 year heads	5.25	4.40	3.50
4 to 5 ft. stems, 2 year heads	6.00	5.00	4.00
5 to 6 ft. stems, 2 year heads	7.50	6.00	5.00
— pendula, 12'-15'		g Japanese	_
These trees are grown on Prunus pends and of good quality. Preferred by many	to top a		
2 to 3 ft., stems		1.25	
3 to 4 ft. stems		1.90	
4 to 5 ft stems	$\begin{matrix}3.75\\5.25\end{matrix}$	$\begin{matrix}3.00\\4.40\end{matrix}$	
— tomentosum, 6'-7'		Nanking	Cherry
Fruits are light red; flowers white, be showy.	efore lea		
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
— triloba plena, 7'-8'		bleflowerin	ng Plum
Double pink flowers, April-May. Hand	some an	d useful.	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60



PRUNUS KWANZAN—The best double pink Japanese cherry. We have a superb lot of young well-branched plants.

	Unit Pri	nit Price in Quantities	
	1-9	10-49	50-249
JAPANESE CHERRI	LES		
PRUNUS amanogawa, 20'-25'			
Semi-double pale pink flowers in profus	sion.		
3 to 4 ft	2.25	1.90	1.50
4 to 5 ft	3.00	2.50	
— ichiyo (hisakura), 25'-35'			
Flowers double pink.			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.25	1.90	1.50
4 to 5 ft	3.00	2.50	2.00
— J. H. Veitch (fugenzo), 30'			
Flowers double pink			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.25	1.90	1.50
- Kanzan (Serr. Sekiayama) (Kwanzan), 4	0'		
Dbl. deep pink. The best double floweri thrifty, and well grown.		v. Ours ar	e young,
18 to 24 in	.75	.60	.50
2 to 3 ft.	1.10	.95	.75
3 to 4 ft.	1.90	1.50	1.25
4 to 5 ft		1.90	1.50
5 to 6 ft.	3.00	2.50	2.00
6 to 8 ft.	4.10	3.50	2.75
, to the state of		.,	

PRINCETON NURSE	RIES		47
	Unit Price	in Qua 10-49	ntities 50-249
PRUNUS naden, 40'			
Semi-double. Pale pink.			
3 to 4 ft		1.90	
4 to 5 ft	$\frac{3.00}{3.75}$	2.50 3.00	
	0.10	5.00	
— Paul Wohlert, 25'-30'	0		
Double, deep pink flowers; semi-dwarf		1.00	1 50
3 to 4 ft	$egin{array}{c} 2.25 \ 3.00 \end{array}$	$egin{array}{c} 1.90 \ 2.50 \end{array}$	$egin{array}{c} 1.50 \ 2.00 \end{array}$
	3.00		2.00
— Shirofugen (Serr. Alba-Rosea), 25'-30' Dbl. white, pink bud.			
3 to 4 ft	2.50	2.00	
4 to 5 ft	$\frac{2.30}{3.00}$	$\frac{2.50}{2.50}$	
EXTRA CHARGE FOR DIGGING CHEF	RRIES R&I	R—SEE	R&B
SCHEDULE, Page			БСБ
PSEUDOTSUGA douglasi (taxifolia), 70'-80	,	Do	ouglas-fir
Hardy. Dark bluish green coloring. Doe	s best in w	ell drai	ned loca-
tion.			
15 to 18 in., B&B	2.25 3.40	$egin{array}{c} 1.90 \ 2.80 \end{array}$	$egin{array}{c} 1.50 \ 2.25 \end{array}$
18 to 24 in., B&B	$\frac{3.40}{4.90}$	$\frac{2.80}{4.05}$	$\frac{2.25}{3.25}$
3 to 4 ft., B&B	6.75	5.50	
4 to 5 ft., B&B	9.00	7.50	
PTELEA trifoliata, 10'-12']	Hop Tree
Has clusters of fruit that look and sme	ll like hops	s.	
4 to 5 ft	.75	.60	.50
5 to 6 ft	$\begin{array}{c} .90 \\ 1.10 \end{array}$	$.75 \\ .95$	$\begin{array}{c} .60 \\ .75 \end{array}$
PYRACANTHA coccinea lalandi, 9'-12' Evergreen. A beautiful broad-leaved ev			Firethorn clusters
of orange berries in the fall. Needs pro	otection in	the Nor	th.
12 to 15 in., 4 in. pot	1.10	.95	.75
15 to 18 In., 4 In. pot	1.50	1.25	1.00
— crenulata, 9'-12'	Entromole		Firethorn
Glossy foliage; bright red berries. desirable.	Extremely	attrac	tive and
15 to 18 in., 4 in. pot	1.90	$\substack{1.50\\2.20}$	1.25
18 to 24 in., 4 in. pot	2.60	2.20	1.75
ef O le			
	DAKS		
QUERCUS alba, 100'	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	W	hite Oak
Most rugged of all Oaks. Slow growing.	Makes ma		
6 to 8 ft	3.75	$\frac{3.00}{2.75}$	$\frac{2.50}{2.00}$
8 to 10 ft., 1 to 1 ¼ in 8 to 10 ft., 1 ¼ to 1 ½ in	$\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$	$\begin{array}{c} 3.75 \\ 5.00 \end{array}$	$egin{array}{c} 3.00 \ 4.00 \end{array}$
9 to 11 ft., 1½ to 1¾ in	7.50	6.00	5.00
10 to 12 ft., 1 3/4 to 2 in	9.00	7.50	6.00
11 to 13 ft., 2 to 2 ¼ in	$\begin{array}{c} 11.00 \\ 13.00 \end{array}$		$\begin{array}{c} 7.50 \\ 9.00 \end{array}$
13 to 15 ft., 2 ½ to 3 in		14.00	
· · ·			



PIN OAKS-Straight, clean, well-branched. Heavy caliper. Princeton quality.

111 OAKS—Straight, clean, wen-branched. Hea	ivy camp	ci. Timeete	ii quairey.
	Unit Pr 1-9	rice in Qua 10-49	ntities 50-249
QUERCUS bicolor, 60'		Swamp W	hite Oak
Large tree. Round open head. Gray scaly	bark.		
8 to 10 ft., 1¼ to 1½ in	4.50	3.75	3.00
9 to 11 ft., 1½ to 1¾ in	6.00	5.00	4.00
10 to 12 ft., 1 3/4 to 2 in	7.50	6.00	5.00
11 to 13 ft., 2 to 2 ¼ in.	9.00	7.50	6.00
12 to 14 ft., 2 ½ to 3 in	11.00	9.00	7.50
— coccinea, 75'-90'		Sca	rlet Oak
Stately, tall grower. Deeply cut leaves. S	triking	autumn col	or.
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1¼ in	4.50	3.75	3.00
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	6.50
11 to 13 ft., 1 3/4 to 2 in	12.00	10.00	8.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in	15.00	12.25	10.00
— macrocarpa, 75'-80'		Mossy	cup Oak
Vigorous. Has corky branches.			
8 to 10 ft., 1 to 1 1/4 in	4.90	4.05	3.25
9 to 11 ft., 1 ½ to 1 ½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 ¾ to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2 ½ in.	$\frac{11.00}{12.00}$	$\begin{smallmatrix}9.00\\11.00\end{smallmatrix}$	7.50
13 to 15 ft., 2 ½ to 3 in	$\begin{array}{c} \textbf{13.00} \\ \textbf{19.00} \end{array}$	15.00	$\begin{array}{c} 9.00 \\ 12.50 \end{array}$
13 to 13 ft., 3 to 3 ½ m	13.00	10.00	12.00
— palustris, 75′-90′			Pin Oak
Most desirable and adaptable. Excellent	autumr	n foliage.	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in	4.50	3.75	3.00
9 to 11 ft., 1 ½ to 1 ½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	8.50	7.00	5.50
10 to 12 ft., 1 ¾ to 2 in	10.00	8.00	6.50
12 to 14 ft., 2 to 2 1/4 in	12.00	10.00	8.00
12 to 15 ft., 2 ¼ to 2 ½ in	15.00	12.25	10.00

TRINCEION NURSE	RIES		49
	Unit Pr 1-9	ice in Quan 10-49	tities 50-249
QUERCUS prinus, 50'		Chest	nut Oak
Picturesque rugged habit.		011000	nat oan
6 to 8 ft.	3.40	2.80	0.05
8 to 10 ft., 1 to 1 1/4 in.	$\frac{3.40}{4.50}$	$\frac{2.80}{3.75}$	2.25 3.00
9 to 11 ft., 1 ¼ to 1 ½ in.	6.00	5.00	$\frac{3.00}{4.00}$
10 to 12 ft., 1 ½ to 2 in.	7.50	6.00	5.00
11 to 13 ft., 2 to 2½ in	9.00	7.50	6.00
— robur fastigiata, 60'		midal Engl	
Narrow columnar. Long lived.			
8 to 10 ft., 1 1/4 to 1 1/2 in., B&B	15.00	12.50	
9 to 11 ft., 1¼ to 1½ in., B&B	19.00	15.00	
10 to 12 ft., 1½ to 1¾ in., B&B	22.00	18.00	
11 to 13 ft., 1 \(\frac{1}{4} \) to 2 in., B&B	27.00	22.50	
12 to 15 ft., 2 to 2½ in., B&B	32.00	27.00	
13 to 16 ft., 2 ½ to 3 in., B&B	39.00	32.50	
— rubra (borealis maxima), 75'-90'		Common F	Red Oak
Quick growing. Good autumn coloring.			
8 to 10 ft., 1 to 1 ½ in	4.50	3.75	3.00
9 to 11 ft., 1 ½ to 1 ½ in	6.00	5.00	4.00
10 to 12 it., 1½ to 1¾ in	10.00	8.00	6.50
11 to 13 ft., 1 ¾ to 2 in	12.00	10.00	8.00
12 to 15 ft., 2 to 2 ½ in	15.00	12.25	10.00
— variabilis, 75′-90′.		Orien	tal Oak
A handsome tree with distinct chestnut	t-like fol:	iage.	
8 to 10 ft., 1 to 1 1/4 in	6.00	5.00	
9 to 11 ft., 1 ¼ to 1 ½ in	7.50	6.00	
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	
11 to 13 ft., 1¾ to 2 in	12.00	10.00	
QUINCE, FLOWERING (See CYDONIA)			
R R			
REDBUD (See CERCIS)			
RETINOSPORA (See CHAMAECYPARIS)			
RHAMNUS caroliniana, 25'	C	arolina Bu	ekthorn
Rich green foliage. Red berries turning	black w	hen ripe.	
5 to 6 ft	1.10	.95	
6 to 8 ft	1.50	1.25	
8 to 10 ft	$\frac{1.00}{2.10}$	1.75	
— cathartica, 9'-10'	Co	ommon Buc	ekthorn
Dark green foliage. Black berries.			
_	6.0	5.0	4.0
18 to 24 in	$\begin{array}{c} .60 \\ .75 \end{array}$.50 $.60$	$.40 \\ .50$
3 to 4 ft	.13	.75	.60
— frangula, 8'-9'		Glossy Bud	ekthorn
Excellent foliage. Red berries turning b	lack whe		JEUNIOI II
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75

12 to 18 in.....

18 to 24 in.....

2 to 3 ft.....

3 to 4 ft.....

50	PRINCETON NURSER	IES		
		Unit Pric	ce in Quai 10-49	ntities 50-249
	RHODODENDRONS		10-40	00-240
RHO	DODENDRON carolinanum, 4'-6'	Caroli	ina Rhodo	dendron
	Bright pink flowers, May-June. One of th			
	spaces.	r 9r	4.40	2 50
	18 to 24 in., B&B	5.25 6.75	5.50	$\frac{3.50}{4.50}$
	tawbiense, 6'-9' Large rosy purple flowers, May-June. Do	es best i		shade.
	18 to 24 in., B&B	$\frac{3.40}{4.50}$	$\begin{array}{c} 2.80 \\ 3.75 \end{array}$	$\frac{2.25}{3.00}$
	2 to 2½ ft., B&B	6.00	5.00	
	3 to 4 ft., B&B	7.50	6.00	5.00
	aximum, 8'-10' Striking light pink flowers, May-June. Do		ay Rhodo n shaded	
	2 to 2 ½ ft., B&B	4.10	3.50	2.75
	2 ½ to 3 ft., B&B	5.00	4.00	3.25
	3 to 4 ft., B&B	$\begin{array}{c} 6.00 \\ 9.00 \end{array}$	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	$\frac{4.00}{6.00}$
	5 to 6 ft., B&B	12.00		8.00
	HYBRID RHODODEND	RONS		
	In addition to the varieties listed we have of fair and good quality which will be and size. Sold only on customer's personate.	oriced ac	cording to	variety
Albu	m elegans. Light blush changing to white 2-2 ½';		-3 ½'; 3 ½	2-4'; 4-5'
Cata	wbiense grandiflora. Lavender pink. 2-2	1/2'; 2 1/2 -	3'; 3-3 ½'	e
Lady	Armstrong. Rose pink. 2-21/2'; 21/2-3-; 3-	-3 ½'.		
Rose	eum elegans. Lavender-pink. 15-18"; 18-24"; 2-2½'; 2	1/2-3'; 3-3	3 ½'; 3 ½	-4'; 4-5'.
Rose	um superbum. Clear, soft coral-rose. 3-3 ½	'; 3½-4';	5'.	
	Foregoing varieties at the following pri	ces:		
	15 to 18 in., B&B	5.00	$\frac{4.00}{5.00}$	
	18 to 24 in., B&B	$\begin{smallmatrix}6.00\\10.00\end{smallmatrix}$	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	
	2 ½ to 3 ft., B&B	12.50	10.00	
	3 to 3½ ft., B&B	15.00	12.50	
	3 ½ to 4 ft., B&B	$\begin{smallmatrix}19.00\\22.00\end{smallmatrix}$	$15.00 \\ 17.50$	
Boul	le de Neige. Dwarf. Clear white.		2,000	
220 641	18 to 24 in., B&B	10.00	7.50	
	2 to 2½ ft., B&B		10.00	
	See also AZALEA for species and vari Azalea.	leties con	mmonly k	nown as
RHC	DOTYPOS kerrioides (scandens), 4'-5'		Whit	te Kerria
	Fresh green foliage. White flowers, M black berries all winter.	lay, June	e. Shiny	bead-like

.45

.60

.75

1.10

.37 .50

.60

.90

.30

.40

.50

.70

	Unit Pri	ice in Quan	tities
	1-9		50-249
RHUS copallina, 12'-13' Showy crimson fruits. Rich autumn co dry locations.	loring. Go	Shining ood in poor	
18 to 24 in		$\begin{array}{c} .37 \\ .50 \end{array}$.30 $.40$
— cotinus, 14'-15'		mmon Smo	
18 to 24 in		.65	.50
2 to 3 ft	.95	.80	.75
— glabra, 10'-12' Crimson fruits in bunches. Rich autumn	n coloring	Smooth Good in no	
2 to 3 ft		.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
— typhina, 15'-18' Picturesque habit. Brilliant autumn eff	ect.	Staghorn	Sumac
2 to 3 ft		.30	
3 to 4 ft		.45 $.55$.35 $.45$
— — laciniata, 14'-15'		Shredded	
Finely cut leaves giving feathery appear	arance.	Shredded	Sumac
18 to 24 in	.37		.25
2 to 3 ft	.45		.30
ROBINIA hispida, 5'-6' Rosy pink pea shaped flowers May, Jun	0	Rose	e-acacia
18 to 24 in		45	.35
2 to 3 ft		.55	
ROSA blanda, 4'-5' Pink, May. Almost thornless. Reddish k	oranches.	Meado	w Rose
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
3 to 4 ft		.70	.55
— hugonis, 6' Bright yellow flowers. Reddish wood. U rose.		den Rose o xcellent typ	
18 to 24 in	.75	.60	.50
2 to 3 ft		.80	.65
— lucida (virginiana), 5'-6'	, ,,		ia Rose
Pink, June, July. Excellent border or neglect.	naturalizi	ng variety.	Stands
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft		.55 $.70$.45
5 to 4 It	.00		.55
— multiflora, 9'-10'		Japanese	Rose
White, June. Strong grower. Free	flowering	_	
popular demand for hedges, screen	s and gar	ne conserva	ation
		monont noc	ults.
planting. Use strong large plants for			- 1
18 to 24 in	22	.20	.15
18 to 24 in 2 to 3 ft	$\begin{array}{c} 22 \\ .30 \end{array}$	$\begin{matrix} .20 \\ .25 \end{matrix}$.15 .20
18 to 24 in	22	.20	.15

02			
	Unit Price 1-9	in Quanti 10-49	ities 50 -2 49
ROSA nitida, 3'-4'		Bristl	y Rose
Deep pink, June. Good for holding banking; good autumn coloring.	ks and gen	neral mass	plant-
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
— palustris (carolina), 6'-8'		Swam	p Rose
Pink, June-August. Does best in moist	location.		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— rubiginosa, 5'-6'			etbrier
Bright pink flowers in June. Good foliag			
12 to 18 in		.30	.25
18 to 24 in	.55	.45	.35
— rubrifolia (ferruginea), 5'-6'		Redlea	f Rose
Distinct purplish-red foliage and bark.	Excellent	t winter s	ubject.
18 to 24 in		.45	.35
2 to 3 ft	.70	.55	.45
— rugosa, 4'-5']	Red Rugos	a Rose
Rich green foliage. Large red fruits. Pin Good seaside plant.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	
— setigera, 5'-6'		Prairi	e Rose
Deep rose flower, June-July. Vigorous	grower.		
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— wichuraiana white, 10'-12'		Wichuria	n Rose
Prostrate trailing plant. Rich, shiny White flowers, late blooming.	foliage, a	lmost eve	rgreen.
18 to 24 in., 1 year	.55	.45	.35
2 to 3 ft., 2 year	.70	.55	.45
CLIMBING ROSES OR RA	MBLERS		
Dorothy Perkins. Double shell pink.			
Excelsa. Double crimson.			
Hiawatha. Single red.			
White Dorothy Perkins. Double white	e.		
18 to 24 in., 1 year	.45	.37	.30
2 to 3 ft., 2 year	.60	.50	.40



SALISBURIA adiantifolia (S	See GINKGO)
----------------------------	-------------

SALIX adenophylla, 6'		Furry	Willow
Similar to matabilis but heavier catkin	bearer.		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.10	.90	.75
— babylonica, 50'-60'	•	weeping	
One of the best weepers. Long pendulo	us branc	hes. Excell	ent for
waterside planting.			
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.30	$\frac{1.10}{1.50}$.90
6 to 8 ft	1.90	1.50	1.25
— salamoni (sepulcralis), 40'-50'		n Weeping	Willow
Similar to Babylonica, but not so pendu	lous.		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	.75
6 to 8 ft 8 to 10 ft	$egin{array}{c} 1.90 \ 2.60 \end{array}$	$egin{array}{c} 1.50 \ 2.20 \end{array}$	$\begin{array}{c} 1.25 \\ 1.75 \end{array}$
8 to 10 1t	4.00	2.20	1.10
— blanda, 40'-50'	Wisconsin	weeping	Willow
Spreading habit. Pendulous at tips. Hard	ly.		
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.50	1.25	1.00
8 to 10 ft	2.60	2.20	1.75
— caprea, 15'-20'			Willow
Very desirable for spring effects. Will	do well :		
Very desirable for spring effects. Will wet places.		in dry as	well as
Very desirable for spring effects. Will wet places. 18 to 24 in	.37	in dry as	well as
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft.	.37 .55	.30 .45	.25 .35
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.37 .55 .70	.30 .45 .55	.25 .35 .45
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.37 .55 .70 .85	.30 .45 .55 .70	.25 .35 .45 .55
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.37 .55 .70	.30 .45 .55	.25 .35 .45
Very desirable for spring effects. Will wet places. 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \\ 1.65 \end{array}$.30 .45 .55 .70	.25 .35 .45 .55 1.10
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft.	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \\ 1.65 \end{array}$.30 .45 .55 .70 1.35	.25 .35 .45 .55
Very desirable for spring effects. Will wet places. 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 6 to 8 ft — discolor, 20' Similar to caprea.	.37 .55 .70 .85 1.65	.30 .45 .55 .70 1.35	.25 .35 .45 .55 1.10
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. — discolor, 20'	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \\ 1.65 \end{array}$.30 .45 .55 .70 1.35	.25 .35 .45 .55 1.10
Very desirable for spring effects. Will wet places. 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 6 to 8 ft — discolor, 20' Similar to caprea. 3 to 4 ft	.37 .55 .70 .85 1.65 Ameri	.30 .45 .55 .70 1.35 can Pussy	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. — discolor, 20' Similar to caprea. 3 to 4 ft. 4 to 5 ft.	.37 .55 .70 .85 1.65 American	.30 .45 .55 .70 1.35 can Pussy	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Ameri .75 1.10 1.50	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlovet planting	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25	.25 .35 .45 .55 1.10 Willow .50 .75 1.00
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove typlanting 1.10 1.90	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlovet planting 1.10	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove typlanting 1.10 1.90	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g. .95 1.50 2.20	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americanting 1.10 1.50 Thurlow planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g95 1.50 2.20	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americanting 1.10 1.50 Thurlow planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g95 1.50 2.20	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americanting 1.10 1.50 Thurlovet planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g95 1.50 2.20 Eleagnus les Russian	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americanting 1.10 1.50 Thurlove planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g. .95 1.50 2.20 Eleagnus les Russian	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americanting 1.10 1.50 Thurlovet planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g95 1.50 2.20 Eleagnus les Russian	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75

	Unit Pri	ce in Quan 10-49	50-249
SALIX niobe, 40'-50'	Niob	e Weeping	Willow
Weeping form with golden bark.			
4 to 5 ft		.80	.65
5 to 6 ft		1.10	.90
6 to 8 ft	. 2.00	1.70	1.35
— pentandra, 20'-30'			Willow
Upright. Shiny dark-green leaves. Exc		_	
4 to 5 ft		.60	.50
6 to 8 ft		$\begin{array}{c} .90 \\ 1.70 \end{array}$	$\begin{matrix} .70 \\ 1.35 \end{matrix}$
8 to 10 ft		$\frac{1.70}{2.20}$	1.75
10 to 12 ft	3.75	3.00	2.50
— vitellina aurea pendula, 25'-30'	Weepi	ng Golden	Willow
Weeping tree similar to Salix babylon	-	_	
4 to 5 ft		.80	.65
5 to 6 ft	. 1.50	1.25	1.00
6 to 8 ft	. 2.25	1.90	1.50
8 to 10 ft	. 3.00	2.50	2.00
SAMBUCUS canadensis, 8'-9'		America	
White, fragrant flowers, June-July. Bl in moist locations.	ack berries	s, edible. S	Succeeds
	0.7	2.0	2.0
18 to 24 in		$\begin{array}{c} .30 \\ .45 \end{array}$.25
3 to 4 ft		.55	.45
4 to 5 ft	85	.70	.55
— acutiloba (rubra), 7'-9' Similar to above but has deeply cut, for		f America	n Eldei
2 to 3 ft		$\begin{matrix} .45 \\ .55 \end{matrix}$.35
SNOWBALL (See VIBURNUM)			
SNOWBELL (See STYRAX)			
SNOWBERRY (See SYMPHORICARPOS)			
SORBARIA aitchisoni, 4'-5'	Ka	shmir Fals	se-spirea
Graceful compound foliage. Creamy w	hite flower	s, July-Sep	tember
18 to 24 in		.30	.25
2 to 3 ft			
3 to 4 ft	. 70	.55	.45
SORBUS aucuparia, 25'-30'	Europ	ean Moun	tain-Ash
A valuable tree on a small lawn; tstriking.		berries a	are very
4 to 5 ft		1.50	
5 to 6 ft		2.05 2.75	
	5.50	4.10	
SPICE BUSH (See BENZOIN)			
SPIRAEA arguta, 5'-'6		Garlan	d Spirea
Very free flowering. Somewhat sim	ilar to thi	inbergi b	ut mor
Very free flowering. Somewhat similaring		anbergi b	
Very free flowering. Somewhat sim	37 55		ut more .25 .33

FRINCEION NORSE	RIES		9 9
	Unit Pri 1-9	ce in Quant 10-49	tities 50-249
SPIRAEA billiardi, 5'-6'		Billiard	Spirea
Bright pink, fluffy flower spikes, Julytions.	October.	Good in dr	y loca-
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
— bumalda, 3'		Bumalda	_
Light pink flowers, July-September. A	good dwa		shrub.
12 to 15 in	.30	.25	.20
15 to 18 in		.30	.25
18 to 24 in	.55	.45	.35
— — Anthony Waterer, 3'		ny Waterer	_
Deep rich, rose-pink. Sometimes slig Blooms all summer. Rich, reddish green			foliage.
9 to 12 in	.30	.25	.20
12 to 15 in	.37	.30	.25
15 to 18 in.,	.50	.40	.30
18 to 24 in	.60	.50	.40
— — froebeli 4'-5'		Frobel	Spirea
Taller and more vigorous than Anthopink flowers.	ny Wate	rer with b	righter
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 2½ ft	.60	.50	.40
— prunifolia plena, 7'-8'		Brida	lwreath
The true bridalwreath. White semi-do- Glossy dark green leaves. Rich fall colo		ers in abu	ndance.
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
reevesiana, 7'-8'		Reeves	s Spirea
Pure white, May-June. Graceful, arching late. Single or double varieties.	g habit; r	etains leav	es until
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
—— fl. pl. (Lanceata), 7'-8'	Dou	ble Reeves	Spirea
Arching habit. Similar in habit and flow	er to Spi	rea Vanhou	itte.
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— thunbergi, 4'-5'		Thunberg	Spirea
Slender arching branches covered with May. Feathery light green foliage.	pure wh	ite flowers	, April-
9 to 12 in	.30	.25	.20
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35

	Unit Pr 1-9	ice in Quar 10-49	ntities 50-249
SPIRAEA tomentosa, 3'-4'		Н	ardhack
Wooly, rose-pink flowers. July-Septe plantings.	mber. Go	od in low	ground
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	70	.55	.45
— vanhouttei, 8'-9'		Vanhoutt	e Spirea
White, May-June. Graceful habit. Free and useful shrub.	flowering		_
12 to 18 in	20	.15	.10
18 to 24 in		.22	.18
2 to 3 ft		.30	.25
3 to 4 ft	55	.45	.35
STAPHYLEA colchica, 10'-12' Fragrant white flowers in May and Ju		Colchis Bla	
6 to 8 ft		1.75	1.40
8 to 10 ft		$\frac{1.75}{2.25}$	1.80
	. 2	2.20	2.00
— trifoliata, 10'-15' Dense shrub with numerous stout u Decorative seed pods.		nerican Bla anches fro	
5 to 6 ft	. 1.10	.95	.78
6 to 8 ft	1.50	1.25	1.00
SPRUCE (See PICEA)			
STEPHANANDRA flexuosa, 5'-6'	Cu	tleaf Steph	anandra
Graceful, compact habit; handsome for	oliage.		
18 to 24 in		.30	.23
2 to 3 ft	55	.45	.35
		Tomomono	Om a sub a 1
STVPAV ignomica 10/ 15/		Japanese :	
STYRAX japonica, 12'-15' White, ball shaped pendant flowers, handsome specimen.	June-July	Makes a	Striking
White, ball shaped pendant flowers, handsome specimen.			
White, ball shaped pendant flowers,	. 11.00	9.50 12.50	
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00	9.50	
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00	9.50	
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00	9.50	
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00	9.50 12.50	nowberry
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00	9.50 12.50 henault Sr	nowberry
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00	9.50 12.50 henault Snade planti .20	nowberry
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00	9.50 12.50 henault Stade planti .20 .25	nowberryngs.
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00	9.50 12.50 henault Snade planti .20	nowberryngs.
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00 Clent for sh 	9.50 12.50 henault Si ade planti .20 .25 .35	nowberryngs.
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00 dent for sh 	9.50 12.50 henault Snade planti .20 .25 .35	nowberrings1 .2 .2 nowberri
White, ball shaped pendant flowers, handsome specimen. 6 to 8 ft., B&B	. 11.00 . 15.00 . 15.00 dent for sh 	9.50 12.50 henault Si ade planti .20 .25 .35	nowberry ngs1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
handsome specimen. 6 to 8 ft., B&B 8 to 10 ft., B&B SUMAC (See RHUS) SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Brighter berries than vulgaris. Excell 12 to 18 in 18 to 24 in 2 to 3 ft — racemosus (albus), 5'-6' Conspicuous white berries. Attractive and moist locations. 12 to 18 in	. 11.00 . 15.00 . 15.00 	9.50 12.50 henault Snade planti .20 .25 .35 Snade in ha	nowberry ngs18 .20 .28 nowberry

	Unit Pric	e in Quanti 10-49	ities 50 -2 49
SYMPHORICARPOS vulgaris (orbiculatus),	4'-5'	Cora	alberry
Coral-red berries through winter, Good i	n shade a	nd bank pla	anting.
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.35	.25
3 to 4 ft	.55	.45	.35
	.00	• = 0	
SYMPLOCUS paniculata, 25'-40' Deciduous shrub with slender spreading fragrant flowers.	ng branch		eetleaf white
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.80	
SYRINGA chinensis (rothomagensis), 8'-9'	_,_,	Chinese	. Tiloo
, , ,	1		
Slender branches. Graceful habit. Vio flowering.	olet flower	's in May.	Free-
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— — saugeana 8'-9'	Pur	ple Chinese	e Lilac
Deep purple flowers.			
12 to 18 in	.37	.30	
18 to 24 in	.55	.45	
2 to 3 ft	.70	.55	
— josikaea, 9'-10' Violet flowers, June Shining dark gre	on foliago	Hungaria	n Lilac
Violet flowers, June. Shining, dark gre			
		97	.30
18 to 24 in	.45	.37	4.0
18 to 24 in. 2 to 3 ft.	$\begin{matrix} .45 \\ .60 \end{matrix}$.50	.40
2 to 3 ft	.60	.50	e Lilac
2 to 3 ft	.60 oushy habi	.50 Lat t.	e Lilac
2 to 3 ft	.60 bushy habi .37	.50 Lat t.	e Lilac
2 to 3 ft	.60 oushy habi .37 .55	.50 Lat t. .30 .45	.25 .35
2 to 3 ft. — villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.60 bushy habi .37 .55 .75	.50 Lat t. .30 .45 .60	.25 .35
2 to 3 ft	.60 oushy habi .37 .55	.50 Lat t. .30 .45	.25 .35
2 to 3 ft. villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. vulgaris, 12'-15'	.60 bushy habi .37 .55 .75 .90	.50 Lat t. .30 .45 .60	.25 .35 .50
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May.	.60 oushy habi .37 .55 .75 .90	.50 Latt. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in.	.60 oushy habi .37 .55 .75 .90 Com	.50 Lat t. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in.	.60 oushy habi .37 .55 .75 .90 Com .37 .45	.50 Latt. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60 e Lilao
2 to 3 ft.	.60 oushy habi .37 .55 .75 .90 Com .37 .45 .60	.50 Latt. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60 .e Lilao .25 .30
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in.	.60 oushy habi .37 .55 .75 .90 Com .37 .45	.50 Latt. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60 e Lilao
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - alba, 12'-15'	.60 oushy habi .37 .55 .75 .90 Com .37 .45 .60 .75	.50 Latt. .30 .45 .60 .75 mon Purpl	.25 .35 .50 .60 e Lilao .25 .30 .40
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. alba, 12'-15' Fragrant, white, single flowers. May.	.60 oushy habi .37 .55 .75 .90 Com .37 .45 .60 .75	.50 Lat t. .30 .45 .60 .75 mon Purpl .30 .37 .50 .60 nmon Whit	.25 .35 .50 .60 .e Lilao .40 .50
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - alba, 12'-15' Fragrant, white, single flowers. May. 15 to 18 in.	.60 oushy habi .37 .55 .75 .90 Com .37 .45 .60 .75 Con	.50 Lat t. .30 .45 .60 .75 mon Purpl .30 .37 .50 .60 nmon Whit	.25 .35 .50 .60 .e Lilao .40 .50
2 to 3 ft. - villosa, 7'-8' Pale pinkish-lilac, fragrant. Compact, b 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. - vulgaris, 12'-15' Delicate purple flowers, fragrant. May. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. alba, 12'-15' Fragrant, white, single flowers. May.	.60 oushy habi .37 .55 .75 .90 Com .37 .45 .60 .75	.50 Lat t. .30 .45 .60 .75 mon Purpl .30 .37 .50 .60 nmon Whit	.25 .35 .50 .60 .e Lilao .40 .50

FRENCH LILACS — NAMED VARIETIES

*Special price — See page 59

Adelaide Dunbar—Double—Red mauve. 12-18"; 18-24"; 2-3'; 3-4'
Alphonse Lavalle—Double—Light red purple. 12-18"; 18-24"; 2-3'; 3-4'
Belle de Nancy—Double—Light violet red. 12-18"; 18-24"; 2-3'; 3-4'
Captain Baltet—Single—Light violet. 12-18"; 18-24"; 2-3'; 3-4'



HYBRID LILACS—You can't find better. Variety list covers full color range. See special price on our selection.

Captain Perrault—Double—Rose mauve. 12-18"; 18-24"
Charles Joly—Double—Medium violet red. 12-18"; 18-24"; 2-3'; 3-4'
Charles Tenth—Single—Dull red purple. 12-18"; 18-24"; 2-3'
Congo—Single—Deep violet red. 18-24"; 2-3'
Florent Stepman—Single—White large flower. 12-18"; 2-3'
Georges Bellair—Double—Medium red mauve. 12-18"; 18-24"; 2-3'; 3-4'
Hugo Koster—Single—Light red mauve. 12-18"; 18-24"; 2-3'
Jan Van Tol—Single—White. 12-18"; 18-24"; 2-3'
John de Messmaker—Single—Light violet red. 12-18"; 18-24"; 2-3'; 3-4'
Katherine Havemeyer—Double—Light violet purple. 12-18";
18-24"; 2-3'
Leon Gambetta—Double—Light mauve. 12-18"; 18-24"; 2-3'
Leon Mathieu—Single—Deep violet red. 18-24"; 2-3'
Le Printemps—Double—Pale abelia lilac. 12-18"; 18-24"; 2-3'; 3-4'


Ludwig Spaeth—Single—Purple violet red. 12-18"; 18-24"; 2-3'; 3-4'
Mme. Casimier Perrier—Double—Creamy white. 12-18"; 18-24"
Mme. F. Morel—Single—Light mauve. 12-18"; 18-24"; 2-3'
Mme. Lemoine—Double—White. 12-18"; 18-24"; 2-3'; 3-4'
Marechal Lannes—Double—Light violet. 12-18"; 18-24"; 2-3'
Marie LeGraye—Single—White. 12-18"; 18-24"; 2-3'

SYRINGA					
Massena—Single—Deep purplish red. 12-18";	18-24"	; 2-3'			
Michel Buchner—Double—Pinkish lilac. 12-18"; 18-24"; 2-3'					
Mirabeau—Single—Early flowering. Purplish	lilac. 1	2-18"; 18-2	24";		
Olivier de Serres Double Physich manya 1916	2// 10 94/	2-3';	3-4'		
Olivier de Serres—Double—Bluish mauve. 12-18 Paul Hariot—Double—Red mauve. 12-18";18					
Paul Thirion—Double—Red mauve. 12-18";					
Pres. Grevy—Double—Light pink-lilac. 12-18			4'		
Pres. Poincare—Double—Clear red-purple. 12-1					
Reaumur—Single—Clear purple red. 12-18"; 18					
Rubra de Marly—Single—Pale lilac-red. 12-18"					
Volcan—Single—Deep violet red. 12-18"; 18-					
Wm. Robinson—Double—Red violet-purple. 1	-		T		
*Our variety list is very large, covering listed here. If you desire to leave your there will be a 5ϕ per plant reduction.					
Above varieties at following prices:					
12 to 18 in	.55	.45	.35		
18 to 24 in	.75	.60	.50		
2 to 3 ft	1.00	.80	.65		
3 to 4 ft	1.25	1.05	.85		
TAMARIX gallica, 8'-9'		French Ta	amarix		
Deciduous. Light pink in panicles, Magreen appearing foliage.	y-June.	Blue-Green	ever-		
18 to 24 in	.37	.30	.25		
2 to 3 ft	.55	.45	.35		
3 to 4 ft	.70	.55	.45		
— parviflora, 12'-14'		Algerian Ta	amarix		
Panicles of pink flowers. Foliage as above	e.				
18 to 24 in	.37	.30	.25		
2 to 3 ft	.55	.45	.35		
3 to 4 ft	.70	.55	.45		
— pentandra, 12'-15'	Fi	vestamen T	amarix		
Slender and spreading growth. Pink flow dry or sandy soils.	vers in A	August. Like	es very		
18 to 24 in	.37	.30	.25		
2 to 3 ft	.55	.45	.35		
3 to 4 ft	.70 $.85$	$\begin{array}{c} \textbf{.55} \\ \textbf{.70} \end{array}$.45		
			.55		
TAXUS — THE YEV	VS				
TAXUS baccata, 50'			sh Yew		
Dark green foliage. Broad vased pyrami		n fruit.			
2 to 3 ft., B&B			-		
3 to 4 ft., B&B	7.50	6.00			
erecta, 10' Upright form of Taxus baccata.	ight Sho	rtleaf Engli	sh Yew		
18 to 24 in., B&B	5.00	4.00			
2 to 2 ½ ft., B&B	6.00	5.00			
2½ to 3 ft., B&B	8.00	6.50	1		
3 to 3½ ft., B&B	10.00	8.00			



TAXUS CUSPIDATA AND CUSPIDATA NANA—These are beautiful well-grown plants. Our prices are right.

	Unit Pric	e in Quant	
	1-9	10-49	50-249
TAXUS baccata repandens, 18"-24"	Spread	ling Englis	sh Yew
Spreading. Horizontal branches. Dark a low planting.	green folia	ge. Excell	
9 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.75	3.00	2.50
— — tardiva, 15'		leaf Englis	sh Yew
Low irregular habit. Long spreading by	ranches.		
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
— cuspidata, 10'-15'	-	ng Japane	
Rich, deep green leaves. Spreading, bush	ny habit. V	ery adapta	
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B		2.80	
18 to 24 in., B&B	5.25	4.40	3.50
— — capitata, 25'-40'	Uprig	ght Japane	se Yew
Upright form of cuspidata, Broad pyran	nid.		
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2 ½ ft., B&B	6.00	5.00	4.00
2 ½ to 3 ft., B&B	7.50	6.00	5.00
3 to 4 ft., B&B	10.00	8.00	6.50
— — nana (brevifolia), 2'-3'	Dw	arf Japane	ese Yew
Broad, thick leaves, very dark green. I spreading habit. Very hardy.	Dwarfish a	nd irregul	lar
9 to 12 in., B&B	2.20	1.90	1.50
12 to 15 in., B&B		2.80	2.25
15 to 18 in., B&B	Dec. Co. Dec.	4.40	3.50



TAXUS HATFIELD, NANA AND HICKSI—Clean, thrifty, heavy branched material. This is the kind of stock that will make you money.

	Unit Pric	e in Quant 10-49	tities 50-24 9
		d Spreadir	
A selected strain of Taxus cuspidata. Fr	ruit large	, borne in	profu-
sion.	0.00	2.20	1.75
12 to 15 in., B&B	2.60	3.00	$\frac{1.75}{2.50}$
15 to 18 in., B&B	3.75		$\frac{2.50}{3.75}$
18 to 24 in., B&B	7.00	5.00	
2 to 2½ ft., B&B	8.50	7.00	5.50
— — thayeri, 6'-8'	Thaye	rs Spreadi	ng Yew
Low, wide, spreading form. Dark green.			4 50
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.25	4.40	3.50
2 to 2½ ft., B&B	7.50	6.00	5.00
— wellesleyana		Wellesl	ey Yew
A fine selected spreading type of cuspida	ıta.		
12 to 15 in., B&B	2.60	2.20	
15 to 18 in., B&B	3.75	3.00	
18 to 24 in., B&B	7.00	5.00	
2 to 2½ ft., B&B	9.00	7.00	
— intermedia, 12'-15'		Hyb	rid Yew
Hybrid between baccata and cuspidata.			
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.25	4.40	3.50

TAXUS media browni, 10'-12' An outstanding variety. Excellent of pact, medium spreading. Shears well men for hedge or foundation planting 12 to 15 in., B&B	dark gree l. Can be ig. Full a 2.60 3.75	used as a s nd tight at 2.20 3.00	Com- speci- base. 1.75 2.50
18 to 24 in., B&B	5.25	4.40	3.50
—— brevimedia, 8'-10'		Broad Upri	ght Yew
Hardy, broad, upright form. Dark gree			
18 to 24 in., B&B		3.75 5.50	
2 to 2½ ft., B&B		$\frac{3.50}{7.50}$	
—— hatfieldi, 8'-10'		Hatfi	ield Yew
Similar to Hicks Yew, but more compa	ct.	11001	icia icw
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B		2.80	$\frac{2.25}{3.25}$
18 to 24 in., B&B		$\begin{array}{c} 4.00 \\ 5.50 \end{array}$	$\frac{3.25}{4.50}$
2 ½ to 3 ft., B&B		8.00	6.50
— hicksi, 20'-25'		Hi	icks Yew
Columnar form with upright branches.	•	***	
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B		3.75	3.00
2 to 2 ½ ft., B&B		5.00	4.00
2 ½ to 3 ft., B&B		$\begin{smallmatrix}6.00\\10.00\end{smallmatrix}$	$\frac{5.00}{8.00}$
THORN, FLOWERING (See CRATAEGUS)		10.00	
THUJA — Arborvi			
THUJA occidentalis compacta, 2½'-4'		Parsons Ar	horvitae
Bright green. Almost globe shaped.		i arsons in	501 11440
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
— elegantissima, 10'-15'. Evergreen. Brances tipped with yellow		entipped Anustrous gre	
12 to 18 in., B&B		1.40	1.25
18 to 24 in., B&B		1.90	1.50
— — globosa, 3'-4'		Globe Ar	borvitae
Rich green. Globe shape.	1.10	0.5	7.5
9 to 12 in., B&B		$\begin{matrix}.95\\1.25\end{matrix}$	1.00
15 to 18 in., B&B		1.90	1.50
18 to 24 in., B&B		2.50	2.00
— — hoveyi, 3'-4'		Hovey Ar	borvitae
Evergreen. Oval in shape, nearly as befoliage.	broad as		
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B		1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00



TAXUS MEDIA BROWNI, THUJA COMPACTA, AND THUJA PYRA-MIDALIS—Popular quality material, reasonably priced.

	Unit Price in Quanti 1-9 10-49		
THUJA occidentalis lutea, 10'-15'	George P	eabody Aı	rborvitae
Columnar outline. Golden yellow foliag	ge.		
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B		3.00	2.50

— migra, 15'-30'			
New improved strain of America metrical in form, deeper in color es Grown from cuttings. Very desira Arborvitaes. Dark green. Compact.	specially oble. The	during the best of the	winter.
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50
4 to 5 ft., B&B	6.75	5.50	4.50

— — pyr amidalis, 15'-30'	Pyra	amidal Arb	orvitae
Bright, rich green. Narrow columnar sha	ape.		
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.75	3.00	2.50
· -	4.90	4.00	3.25
3 to 4 ft., B&B	6.35	5.30	4.25
4 to 5 ft., B&B		7.50	6.00
5 to 6 ft., B&B	9.00	0.00	0.00



THUJA NIGRA—Dark American Arborvitae. The most satisfactory Arborvitae of this type.

	Unit Pr 1-9	rice in Qua 10-49	ntities 50 -24 9
THUJA occidentalis wareana, 12'-15'	\$	Siberian Ar	borvitae
Light green. Fleshy foliage. Broad pyran	nid. Ver	y adaptabl	e.
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 2½ ft., B&B	2.60	2.20	1.75
BIOTA or CHINESE ARBO	RVITAI	E	
— orientalis aurea nana, 2½'-3' Ber	akmana	Golden Ar	horvitae
Rich golden yellow foliage. Compact, rot			DOIVILAC
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B		1.50	
15 to 18 in., B&B	$\frac{1.35}{2.25}$	1.90	
	2.20		
— plicata atrovirens (lobbi), 100'	Giant Arborvitate		
Rich shining deep green fleshy foliage.			
3 to 4 ft., B&B	5.00	4.00	3.25
4 to 5 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B	9.00	7.50	6.00
6 to 7 ft., B&B	12.00	10.00	8.00
— standishi, 25'-40'	S	tandish A	borvitae
Hardy evergreen of broad pyramidal ha	abit.		
18 to 24 in., B&B	3.40	2.80	
2 to 3 ft., B&B	4.50	3.75	
3 to 4 ft B&B	6.00	5.00	. —

Unit	Price	in	Qua	antities
1-9		10-	49	50-249

TILIA — THE LINDENS

THE A americana 55/ 00/		A •	T
TILIA americana, 75'-90' Fast growing, forming open head. Frag	nont == 11 c	American	Linden
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 12 ft., 1 ¾ to 2 in	5.25	4.40	3.50
12 to 14 ft., 2 to 2 1/4 in	6.75	5.50	4.50
12 to 14 ft., 2 ¼ to 2 ½ in	9.00	7.50	6.00
— cordata, 70'		f European	Linden
Small leaves. Forms very symmetrical			
12 to 14 ft., 2 ¼ to 2 ½ in	10.00	8.00	
— platyphyllos, 70'	Bigleaf	European	Linden
Large leaves. Early bloomng. Symmetri planting.	cal. Good	for street	or lawn
9 to 11 ft., 1½ to 2 in	6.00	5.00	
10 to 12 ft., 2 to 2 ¼ in	7.50	6.25	
— vulgaris (europaea), 70'-90'		European	Linden
Compact and symmetrical. Fragrant flo	wers late		
14 to 16 ft., 3 to 3½ in		12.50	10.00
14 to 16 ft., 3½ to 4 in	17.50	15.00	
THE HEMLOC	CKS		
TSUGA canadensis, 75'-90'		Canada F	
Most graceful and adaptable. Excellent ing. Shears well.		or informa	ıl plant-
1 ½ to 2 ft., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B		2.80	2.25
2 ½ to 3 ft., B&B	4.90	4.05	3.25
3 to 4 ft., B&B		5.50	4.50
4 to 5 ft., B&B		7.50	6.00
5 to 6 ft., B&B	12.70	10.60	
of TT lo			
ULMUS americana, 80'-100'	inalila vai		an Elm
Medium fast growing. Stately. Very des 6 to 8 ft			P =
	1.10	.95	.75
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in	2.60	2.20	1.75
10 to 12 ft., 1 ¾ to 2 in	3.40	2.80	2.25
11 to 13 ft., 2 to 2 ½ in		3.50	2.75
11 to 15 it., 2 to 2 ½ iii	5.25	4.40	3.50
— campestris, 80'-100'		Engl	ish Elm
Smooth bark. A desirable medium grow and angular in form.	ving tree.	Slightly sp	reading
8 to 10 ft., 1 1/4 to 1 1/2 in	3.00	2.50	2.00
10 to 12 ft., 1½ to 1¾ in	3.75	3.00	2.50
11 to 13 ft., 1 ¾ to 2 in	4.90	4.05	3.25
11 to 13 ft., 2 to 2½ in	6.75	5.50	4.50

VACCINIUM corymbosum, 5'-6'	Hi	ghbush Blu	eberry
Collected — Transplanted. Good native shrub. Flowers and fruit Rich autumn coloring.	beautiful.	Prefers aci	d soil.
1 ½ to 2 ft., B&B	$\begin{smallmatrix}2.25\\3.00\end{smallmatrix}$	$\begin{array}{c} \textbf{1.90} \\ \textbf{2.50} \end{array}$	$\begin{smallmatrix}1.50\\2.00\end{smallmatrix}$
VIBURNUM acerifolium, 4'-5'		pleleaf Vib	
White flowers, May, June. Maple-like fall. Good in dry, shady places.	leaves tur	ning to pui	rpie in
12 to 18 in	$\begin{array}{c} .45 \\ .60 \end{array}$	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} \textbf{.30} \\ \textbf{.40} \end{array}$
— americanum (trilobum), 8'-9'		an Cranber	rybush
Good foliage. Bright scarlet berries all	winter.		
12 to 18 in	.37	.30	.25
18 to 24 in		.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— burkwoodi, 4'	Bu	rkwood Vib	urnum
Medium open growing. Pinkish white fl	lowers, Ma	ay, June. Ve	ery fra-
grant.	1.90	1.50	1.25
12 to 18 in., B&B	2.60	$\frac{1.30}{2.20}$	1.75
18 to 24 in., B&B		2.80	2.25
2 to 2 ½ in., B&B 2 ½ to 3 ft., B&B		$\frac{2.00}{4.00}$	3.25
sossimoidos 5/6/		Wi	the-rod
— cassinoides, 5'-6'			
White flowers, May-June. Pink berries	change to	blue. Rich	autumn
foliage coloring. Good planted near wat	ter.		
foliage coloring. Good planted near wat	ter.	.37	.30
foliage coloring. Good planted near wat 12 to 18 in	ter. .45 .60	.37 .50	$\begin{array}{c} .30 \\ .40 \end{array}$
foliage coloring. Good planted near wat	ter. .45 .60	$\begin{array}{c} .37 \\ .50 \\ .60 \end{array}$.30 $.40$ $.50$
foliage coloring. Good planted near wat 12 to 18 in	ter. .45 .60 .75	.37 .50 .60	.30 .40 .50
foliage coloring. Good planted near wat 12 to 18 in	ter. .45 .60 .75	.37 .50 .60	.30 .40 .50
foliage coloring. Good planted near wat 12 to 18 in. 18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil.	ter. .45 .60 .75 berries. F	.37 .50 .60	.30 .40 .50 owwood red au-
foliage coloring. Good planted near wat 12 to 18 in	ter45 .60 .75 berries. F	.37 .50 .60 Arro Purple and .30 .45	.30 .40 .50 owwood red au-
foliage coloring. Good planted near wat 12 to 18 in	ter. .45 .60 .75 berries. F	.37 .50 .60 Arro Purple and	.30 .40 .50 owwood red au-
foliage coloring. Good planted near wat 12 to 18 in. 18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9'	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arro Purple and .30 .45 .55	.30 .40 .50 owwood red au- .25 .35 .45
foliage coloring. Good planted near wat 12 to 18 in	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arro Purple and .30 .45 .55	.30 .40 .50 owwood red au- .25 .35 .45
foliage coloring. Good planted near wat 12 to 18 in. 18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome.	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arrourple and .30 .45 .55 Linden Vi	.30 .40 .50 owwood red au- .25 .35 .45 burnum
foliage coloring. Good planted near wat 12 to 18 in. 18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome. 18 to 24 in.	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arrourple and .30 .45 .55 Linden Vi	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting.
foliage coloring. Good planted near wat 12 to 18 in. 18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome.	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arrourple and .30 .45 .55 Linden Vi	.30 .40 .50 owwood red au- .25 .35 .45 burnum
foliage coloring. Good planted near wat 12 to 18 in	ter45 .60 .75 berries. F37 .55 .70	.37 .50 .60 Arro Purple and .30 .45 .55 Linden Vi berries per	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
foliage coloring. Good planted near wat 12 to 18 in	ter45 .60 .75 berries. F37 .55 .70 let showy55 .75	.37 .50 .60 Arro Purple and .30 .45 .55 Linden Vi berries per .45 .60 .95	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
foliage coloring. Good planted near wat 12 to 18 in	ter	.37 .50 .60 Arro Purple and .30 .45 .55 Linden Vi berries per .45 .60 .95 Wayfar foliage. Red	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
foliage coloring. Good planted near wat 12 to 18 in	ter	.37 .50 .60 Arro Purple and .30 .45 .55 Linden Vi berries per .45 .60 .95 Wayfar foliage. Red	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75 ing-tree berries
foliage coloring. Good planted near wat 12 to 18 in	ter45 .60 .75 berries. F37 .55 .70 let showy55 .75 .110 wrinkled f	.37 .50 .60 Arro Purple and .30 .45 .55 Linden Vi berries per .45 .60 .95 Wayfar foliage. Red	.30 .40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75

	Unit Pi	rice in Qua 10-49	ntities 50-249
VIBURNUM lentago, 18'-20'		Naı	nnyberry
White flowers, May, June. Glossy foliage	. Blue-t		
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft			
	.70	.55	.45
4 to 5 ft	1.00	.80	
5 to 6 ft	1.25	1.05	
— molle, 10'-12'	F	Kentucky V	iburnum
White flowers, May, June. Large dark coloring.	green	foliage. G	ood fall
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft			
	.70	.55	.45
4 to 5 ft	.90	.75	.60
— opulus sterile, 9'-10'		Common S	Snowball
White flowers, May, June. Very showy.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
— prunifolium, 10'-12'		В	lackhaw
White flowers, May, June. Blue-black from	aits.		
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 2½ ft.	.90	.75	.60
2 ½ to 3 ft	1.05	.90	.70
2 +0 4 **			
3 to 4 ft	1.50	1.25	1.00
— sieboldi (japonicum), 9'-10' White flowers, May, June. Pink fruits ch green foliage.	anging	Siebold V to black. R	
18 to 24 in	55	4 5	9.5
		.45	.35
2 to 3 ft		.60	.50
3 to 4 ft	1.10	.95	.75
— tomentosum, 7'-8'		oublefile V	
White flowers borne in flat heads, June.	Red to	black berri	es.
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
nlicatum 7/ 8/		Tananaga	In a whall
— — plicatum 7'-8'	l l	Japanese S	
Showy white flowers in balls in June. R purple autumn coloring.	ich han	dsome folia	age with
12 to 18 in	.70	.55	.45
18 to 24 in	.90	.75	.60
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.10 1.30	$1.10^{-0.05}$.90
	D	ii11	n Myssell
VINCA minor, 6"-8"		eriwinkle or	-
Trailing evergreen. Glossy foliage. Blue i ground cover in sun or shade.	lowers i	in spring. E	excellent
	2.0	9.5	0.0
3 in. pots, 2 year	.30	.25	.20



Aero-Mist Spraying—With this modern equipment large areas can be covered very quickly with a blanket of spray material.

very quickly with a blanket of s	pray materi	a1.	
	Unit Price 1-9	e in Quant 10-49	ities 50 -2 49
(latifolia)	rge-leaved		
Lilac flowers, August, September. Gra	y-green sta	r shaped	leaves.
Prefers sun.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
of W la			
WEIGELIA candida, 7'-8'		White W	/eigelia
Large green-white flowers.			
18 to 24 in	.45	.37	.30
2 to 3 ft		.45	.35
3 to 4 ft		.55	.45
— Eva Rathke, 4'-5'	Red	flowered V	Veigelia
Carmine, free flowering, June-August.	Rich folia	ge.	
12 to 1 8in	.45	.37	.30
1 8 to 24 in	.55	.45	.35
2 to 3 ft	.75	.60	.50
3 to 4 ft		.80	.65
		Feerie V	Veigelia
— Feerie, 5'-6'	e hest nink		
Rich rose-colored flowers. Probably the	55	.45	.35
12 to 18 in		.55	.45
18 to 24 in		.70	.55
2 to 3 ft		.90	.70
3 to 4 ft	. 1.00		

	Unit Pric	e in Quanti 10-49	ties 50-249
WEIGELIA floribunda, 8'	(Crimson W	eigelia
Upright growing shrub with crimson flo	wers.		
18 to 24 in	.45	.37	.30
2 to 3 ft.	.55	.45	.35
3 to 4 ft	.70	.55	.45
— Gustav Mallot 6'-8'	Re	ose Red W	eigelia
Rose-red, June-August. Good grower.	. =		0.0
12 to 18 in	.45	.37	.30
18 to 24 in		.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— nana variegata, 6'-8'	Variegat	ed Leaf W	eigelia
Pale pink flowers; variegated leaves.			
12 to 18 in	.37	.30	.25
18 to 24 in.	.45	.37	.30
2 to 3 ft	.60	.50	.40
— rosea (florida rosea), 7'-8'		Pink W	eigelia
Pink flowers, June. Strong grower. Good	d foliage.		
12 to 18 in	.30	.25	.20
18 to 24 in.	.35	.30	.25
	.45	.37	.30
2 to 3 ft		.50	.40
3 to 4 ft	.60 $.75$.60	.50
WILLOW (See SALIX)			
WISTERIA floribunda macrobotrys (Multi	inga) 35	'-50'	
WISTERIA normanda macrobottys (Mater	Lon	gcluster W	'isteria
Has long drooping racemes of purple			
cover a trellis or pergola.			
2 year grafts	.45	.37	.30
YEW (See TAXUS)			
ZANTHORHIZA apiifolia, 2'-3'		Yell	owroot
(Xanthorhiza simplicissima)			
Small purplish flower, May, June. Ex well in dry sandy soil and banks.	cellent gr	ound cover	. Does
9 to 12 in., 2 year	.30	.25	.20
	.37	.30	.20
12 to 15 in., 3 year	. 5 (.00	.20

PEACHES

15 to 18 in., 3 year

.55

.45

.35

Belle of Georgia-Fine quality. White, red cheek. Large freestone. An excellent variety. Ripens mid-season.

Elberta—Yellow freestone. Fruit of large size. Most popular commercial variety. Ripens mid-season.

Golden East-Good size. Yellow freestone. Quality is good and is adapted to light soils. Ripens two weeks before Elberta.

- Golden Jubilee—A New Jersey introduction. An excellent early yellow peach. Freestone. Good flavor. Ripens just before Hale Haven.
- Hale Haven—Yellow freestone. Good size. Bright red color. Excellent flavor. Rugged grower and hardy in fruit bud. Good variety. Ripens just after Golden Jubilee.
- J. H. Hale—Large size. Highly colored yellow freestone. Requires cross pollinization. Ripens about with Elberta.

1 in. up, 5 ft. up	.90	.75	.60
$11/16''$ up, $4\frac{1}{2}$ ft. up	.70	.55	.45
9/16" to 11/16" 4 ft. up	.55	.45	.35
7/16" to 9/16" 3 ft. up	.37	.30	.25
5/16" to 1/16" 2 ft. up	.27	.22	.18
18 to 24 in	.22	.20	.15

PEAR TREES

Bartlett—Most popular. Ripens in September. 3-4', 4-5', 5-6', 6-7'.

Beurre Bosc—Large, bronzy-yellow. Flesh white, rich and delicious Gourd shaped. Oct.-Jan. 3-4', 4-5', 5-6'.

Clapps Favorite—Large, resembling Bartlett; yellow. Fine texture; delicate flavor. Very hardy. Aug.-Sept. 3-4', 4-5', 5-6'.

Kieffer—Large fruit. Yellow with blush. Good canning pear. Ripens October and November. 3-4', 4-5', 5-6', 6-7'.

Seckel—Small fruit. Yellowish brown. Sweet. Extremely high quality. Juicy. Ripens October. 2-3', 3-4', 4-5', 5-6'.

2	vr.,	6	to	7	ft	1.65	1.35	1.10
					ft	1.25	1.05	.85
					ft	1.00	.80	.65
	•				ft	.75	.60	.50
					ft.	~ ~	.45	.35

GRAPE VINES

	1-9	10-49
Agawam—Red. 2 year No. 1	.22	.20
Caco—Red. 2 year No. 1	.22	.20
Fredonia—Early black. 2 year No. 1	.22	.20
Niagra—White, 2 year No. 1	.22	.20

HYBRID BLUEBERRIES

Three of the best varieties.

Jersey-Large good flavored berries. Ripens with Rubel.

Rancocus-Earlier than Rubel. Heavy bearer.

Rubel—Heavy bearing. Late. Good quality.

Plant three varieties for proper pollinization.

9	to	12	in	.45	.37	.30
12	to	15	in	.60	.50	.40

APPLES

- Baldwin—An old favorite. Firm dark red fruit. Excellent for eating and cooking. Winter variety. 5'.
- Cortland—McIntosh type but ripening later. Bright red, distinct stripes. vigorous. Bears young. 4', 5', 6'.
- Fall Pipnin—Excellent quality. Golden yellow. Good cooking variety. Ripens September. 5', 6'.
- Grimes Golden—Medium large. Spicy flavor. Ripens November to February. 5', 6'.
- Petrel—Green with red stripe. Good for cooking and eating. Ripening in the fall. Resembles McIntosh in flavor. 4', 5', 6', 7'.
- Red Delicious—An improved strain of Delicious. Large red. Good shipper. Fine quality. Ripens October to March. 4', 5', 6', 7'.
- Rome Beauty—Good quality. Keeps well. Large, smooth, yellow striped red. Ripens November to May. 4', 5', 6'.
- Yellow Delicious—Large, bright yellow. Good quality. Ripens October to April. 4', 5', 6'.
- Yellow Transparent—Medium size. Very hardy. Ripens July and August. 4', 5', 6'.
- Wealthy—Pale yellow, striped with red. Excellent cooking variety. Ripens October to January. 4', 5', 6'.

1" up, 7 ft. up	1.30	1.10	.90
3/4" up, 6 ft. up	1.10	.90	.75
11/16" up, 5 ft. up	.75	.60	.50
9/16" to 11/16", 4 ft. up	.60	.50	.40

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea		
Lonicera and others	35	.30
GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including all good ornamental varieties same as above		.35
GROUP C—Special, 3 and 4 yr. Shrubs Average 4 ft. or more, including al good ornamental varieties as above with the addition of some of the bette	1 e	
varieties of Viburnum, etc	.50	.40

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS